

SAFETY DATA SHEET

Issuing Date 27-Jan-2014 Revision Date 27-Jan-0214 Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Liquid Silverware Presoak

Other means of identification

Product Code(s) 6570

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use All purpose cleaner

Uses advised against No information available

Supplier's details

Supplier AddressSunburst Chemicals, Inc.

220 W. 86th St.

Bloomington, MN 55420 TEL: 952-884-3144

Emergency telephone number

Emergency Telephone

Number

1-866-303-6943

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

| Acute Oral Toxicity | Category 4 |
|-----------------------------------|------------|
| Skin Corrosion/Irritation | Category 2 |
| Serious Eye Damage/Eye Irritation | Category 2 |

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Warning Hazard Statements

Harmful if swallowed

Causes skin irritation

Causes serious eye damage



Appearance Red Physical State Liquid Odor Lemon

Precautionary Statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Use personal protective equipment as required
- Avoid breathing dust/fume/gas/mist/vapors/spray

General Advice

• IF exposed or concerned: Get medical attention/advice

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician.

Skin

- IF ON SKIN: Wash with plenty of soap and water
- Take off contaminated clothing and wash before reuse
- If skin irritation occurs: Get medical advice/attention

Inhalation

• IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Ingestion

- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth

Storage

- · Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Disposal

• Dispose of contents/container to an approved waste disposal plant

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Harmful to aquatic life with long lasting effects

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No | Weight % | Trade secret |
|--------------------------|------------|----------|--------------|
| Dodecyl diethanolamide | 68603-42-9 | 1-10 | * |
| Triethanolamine | 102-71-6 | 1-10 | * |
| Pentasodium triphosphate | 7758-29-4 | 1-5 | * |
| 2-Butoxyethanol | 111-76-2 | 1-5 | * |
| Diethanolamine | 111-42-2 | 1-5 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

Skin Contact Wash off with warm water and soap. Remove and wash contaminated clothing before

re-use. If symptoms persist, call a physician.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an

unconscious person. If symptoms persist, call a physician.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water. Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available

Explosion Data

Sensitivity to Mechanical Impact None
Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Ensure

adequate ventilation. Use personal protective equipment. If spilled, take caution, as material

can cause surfaces to become very slippery.

Environmental Precautions

Environmental Precautions Avoid release to the environment. Collect spillage. See Section 12 for additional Ecological

Information. Dispose of contents/container to an approved waste disposal plant. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning UpCollect and reuse if possible. Following product recovery, flush area with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Ensure adequate

ventilation. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist.

Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep container closed when not in use. Keep out of the

reach of children.

Incompatible Products

None known based on information supplied.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDCH |
|-----------------|--------------|-------------|---------------|
| 2-Butoxyethanol | TWA: 20 ppm | TWA: 50 ppm | ILDH: 700 ppm |
| Triethanolamine | TWA: 5 mg/m³ | | |

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Skin and Body Protection

Tightly fitting safety goggles.

Rubber or vinyl gloves recommended when handling solid chemicals.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn.

Hygiene Measures Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid Appearance Red

Odor Lemon Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks/ - Method</u>

10.5 None known Melting Point/Range No data available None known **Boiling Point/Boiling Range** 100° C / 212° F None known Flash Point None None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data available

Vapor Pressure
Vapor Density
No data available
None known

Dog 4/9

WPS-SBC-015 - LIQUID SILVERWARE PRESOAK

Water Solubility Complete None known

Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known Autoignition Temperature No data available None known Decomposition Temperature No data available None known Viscosity No data available None known

Flammable Properties Not flammable

Explosive Properties Not explosive Oxidizing Properties Not an oxidizer

Other information

VOC Content (%) 1-5%

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract.

Eye Contact Causes serious eye damage.

Skin Contact Causes skin irritation.

Ingestion Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--------------------------|--------------------|-----------------------|-----------------|
| Pentasodium triphosphate | = 3100 mg/kg (Rat) | > 7940 mg/kg (Rabbit) | - |
| Dodecyl diethanolamide | = 2700 mg/kg (Rat) | - | - |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-----------------|-------|---------|-----|------|
| 2-Butoxyethanol | A3 | Group 3 | | |
| Triethonolomine | | Group 3 | | |

ACGIH (American Conference of Governmental Industrial Hygeinists)

Group A3: Animal Carcinogen

Reproductive Toxicity
STOT – single exposure
STOT – repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity • - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral No information available LD50 Dermal No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|--------------------------|---------------------------|--------------------------|----------------------------|-------------------------------|
| Pentasodium triphosphate | | LC50 48 h: = 1650 mg/L | _ | |
| | | (Leuciscus idus) | | |
| 2-Butoxyethanol | | LC50 96 h: = 1490 mg/L | | |
| | | (Lepomis macrohirus) | | |
| Triethanolamine | EC50 72 h: = 216 mg/L | LC50 96 h: 10,600-13,000 | EC50 > 10,000 mg/L 30 min | EC50 24 h: = 1386 mg/L |
| | (Desmodesmus subspicatus) | mg/L flow through | | (Daphnia magna) |
| | | (Pimephales promelas) | | |

Persistence and Degradability No information available.

Bioaccumulation No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging Dispose of in accordance with federal, state, and local regulations.

| Chemical Name | California Hazardous Waste |
|------------------|----------------------------|
| Sodium carbonate | Corrosive |

14. TRANSPORT INFORMATION

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NSDL Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL- Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does contain a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical Name | CAS# | Weight % | SARA313 Threshold Values |
|------------------|----------|----------|--------------------------|
| 2-Buthoxyethanol | 111-79-2 | 1-5 | 1.0% |

SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Pentasodium triphosphate | | | | Х |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|--------------------------|--------------------------|------------------------------------|--|
| Pentasodium triphosphate | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |

U.S. State Regulations

California Proposition 65

This product contains no Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Illinois | Rhode Island |
|--------------------------|------------|---------------|--------------|----------|--------------|
| 2-Butoxyethanol | Χ | Х | Х | X | X |
| Triethanolamine | Χ | X | X | | X |
| Pentasodium triphosphate | | Х | Х | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

| 16. OTHER INFORMATION | | | | | | |
|-----------------------|-----------------|----------------|-------------------|---------------------------------|--|--|
| NFPA | Health Hazard 1 | Flammability 0 | Instability 0 | Physical and Chemical Hazards - | | |
| <u>HMIS</u> | Health Hazard 1 | Flammability 0 | Physical Hazard 0 | Personal Protection B | | |
| Prepared By | Sunburst | Chemical | | | | |

Prepared By Sunburst Chemical 220 West 86th Street

Bloomington, MN 55420

952-884-3144 27-Jan-2014

Issuing Date 27-Jan-2014

Revision Date 27-Jan-2014

Revision Date 27-Jan-2014
Revision Note New Issue

General Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet
