# SAFETY DATA SHEET



Issue Date 17-Jan-2022

Revision Date 06-May-2021

Version 1

# **1. PRODUCT AND COMPANY IDENTIFICATION**

<u>Product identifier</u> Product Name	Drain Opener 15
Other means of identification	
Product Code	N-02007
Synonyms	None

Details of the supplier of the safety data sheet		
Company Name	Nassco Inc. 5355 S. Westridge Drive New Berlin, WI 53151 (800) 729-6726	
Emergency telephone number Emergency Telephone	Chemtrec 1-800-424-9300	

2. HAZARDS IDENTIFICATION

# **Classification**

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 5
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

# Label elements

**Emergency Overview** 



# Hazard statements

Causes severe skin burns and eye damage Harmful if swallowed Harmful in contact with skin



Appearance Clear

Physical state Liquid

Odor Odorless

# **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

# **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Drink plenty of water Immediately call a POISON CENTER or doctor/physician

# **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Disposal should be in accordance with applicable regional, national and local laws and regulations

# Hazards not otherwise classified (HNOC)

#### Other Information

- Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

Unknown Acute Toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
Sodium Hydroxide	1310-73-2	15-40	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

First aid measures		
General advice	Immediate medical attention is required.	
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is required.	
Eye contact	Do not rub affected area. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing.	
Inhalation	Remove to fresh air. Get medical attention for any breathing difficulty.	
Ingestion	Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology	

Information.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

# Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment as required.	
Environmental precautions		
Environmental precautions	Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other surface water bodies. Should not be released into the environment. Dispose of according to all local city, state and federal rules and regulations.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Prevent product from entering drains. Dam up. Soak up with inert absorbent material. Take up mechanically, placing in appropriate	

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

# Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

# Incompatible materials

Strong acids. Aluminum. Incompatible with strong acids and bases. Incompatible with oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
NIOSH IDLH Immediately Danger	ous to Life or Health		
Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).		
Appropriate engineering controls	<u>S</u>		
Engineering Controls	Showers, Eyewash statio	ns & Ventilation systems.	
Individual protection measures,	such as personal protective	equipment	
Eye/face protection	Tight sealing safety goggles. Face protection shield.		
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.		
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.		
General Hygiene	Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Regular		

# smoke. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid Clear Colorless Odorless No Information available	
Property pH Specific Gravity Viscosity Melting point/freezing point Flash point Boiling point / boiling range Evaporation rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density	Values 13.5 + 1.35 < 25 cP @ 25°C No Information available None EST 290 ° F No Information available No data available No Information available No Information available No Information available No Information available No Information available	<u>Remarks • Method</u>

Water solubility	Complete
Partition coefficient	No Information available
Autoignition temperature	No Information available
Decomposition temperature	No Information available
Decomposition temperature	No Information available

# **Other Information**

Density Lbs/Gal VOC Content (%) 11.25 0%

# **10. STABILITY AND REACTIVITY**

# Reactivity

No data available

# Chemical stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

# **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

# Incompatible materials

Strong acids. Aluminum. Incompatible with strong acids and bases. Incompatible with oxidizing agents.

# Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	The primary effects and toxicity of this material are due to it corrosive nature.
Inhalation	Avoid breathing vapors or mists. Breathing of vapor can cause respiratory irritation and inflammation. Breathing of mist or liquid can cause burns to the respiratory tract.
Eye contact	Corrosive to the eyes and may cause severe damage including blindness. Avoid contact with eyes. Corrosive. Causes severe eye damage.
Skin Contact	Harmful in contact with skin. Corrosive. Contact with skin may cause severe irritation and burns.
Ingestion	Harmful if swallowed. Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Hydroxide	-	= 1350 mg/kg (Rabbit)	-
1310-73-2			

# Information on toxicological effects

# Symptoms

No Information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity	Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to
	eyes.
Sensitization	No Information available.
Germ cell mutagenicity	No Information available.
Carcinogenicity	No Information available.

Reproductive toxicity STOT - single exposure	No Information available. No Information available.
STOT - repeated exposure	No Information available.
Chronic toxicity	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.
Target organ effects	EYES, Respiratory system, Skin.
Aspiration hazard	No Information available.
Numerical measures of toxicity	- Product Information
Unknown Acute Toxicity	0 % of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculate	ted based on chapter 3.1 of the GHS document
ATEmix (oral)	928.60
ATEmix (dermal)	3,857.10
	12. ECOLOGICAL INFORMATION

# Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	

# Persistence and degradability

No Information available.

#### **Bioaccumulation**

No Information available.

Other adverse effects

No Information available

# **13. DISPOSAL CONSIDERATIONS**

# Waste treatment methods

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
Sodium Hydroxide	Toxic	
1310-73-2	Corrosive	

# **14. TRANSPORT INFORMATION**

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

 DOT
 UN3266

 Proper shipping name
 Corrosive liquid, basic, inorganic, n.o.s.

 Hazard Class
 8

Packing Group Special Provisions Description Emergency Response Guide Number	II B2, IB2, N34, T7, TP2 UN3266, Corrosive liquid, basic, inorganic, n.o.s. (contains Sodium Hydroxide), 8, II 154
<u>TDG</u> UN/ID No. Proper shipping name Hazard Class Packing Group Description	UN3266 Corrosive liquid, basic, inorganic, n.o.s. 8 II UN3266, Corrosive liquid, basic, inorganic, n.o.s. (contains Sodium Hydroxide), 8, II

# **15. REGULATORY INFORMATION**

International Inventories TSCA DSL/NDSL

Complies Complies

# Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

# **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide 1310-73-2	1000 lb	-	-	Х

# **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

# US State Regulations

# California Proposition 65

This product has been evaluated and does not require warning labeling under California Proposition 65.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Hydroxide	Х	Х	Х
1310-73-2			

# U.S. EPA Label Information

# EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION					
NFPA	Health hazards 3	Flammability 0	Instability 0	Physical and Chemical Properties -	
HMIS	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection D	
Issue Date	17-Jan-2	022			
Revision Date	06-May-2	2021			
Revision Note					
No Information available					
<u>Disclaimer</u>					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet