



PRO SERIES



ICE MELT AND SNOW REMOVAL

Keep Facilities Clean, Safe and Accident Free

Ice and snow can cause employees and customers to slip and fall outside your facility, increasing injury claims. This Ice & Snow Removal Guide will help you choose the best ice melting solutions for your facility. It has everything you need to prevent accidents and protect your people when the weather turns cold and white – with ice melt, application tools, cleanup and safety items.



What to Consider When Choosing Ice Melt

Melt Temperature

Ice and snow melting products are effective to specific temperatures. For example, one blend may work to only -5°F while another may work at -25°F. Understanding your climate and current weather conditions is important to choosing the right product for your application.

Accelerants

Accelerants are organic additives that are added to ice melt products to speed up or accelerate the melting process, ensuring a safer surface sooner.

Color

Color is added to ice melt so the person applying it can see it. With colored pellets you can more easily achieve even distribution, with less waste from over-application.

The Environment

Most ice melt blends will not harm vegetation or animals when used according to label and instructions.

Types of Ice Melt

Liquid Anti-Icers

Use for anti-icing prior to a storm. Liquid ice melt, like Triple Melt® Liquid reduces overtime and after-storm cleanup. It prevents the bonding of snow and ice to the pavement for easier removal with blade or shovel, and significantly reduces the amount of after-storm granular ice-melt needed. If applied prior to a storm, liquid ice melt can melt snow while it's falling. Don't apply if surface is already 10°F or below. Apply liquid anti-icers with our Walk-Behind Liquid Sprayer, Item# LQ9500L.

Blended Ice Melt

Blends allow you to melt snow and ice based on temperatures and conditions. They contain a blend of various chemicals or compounds to speed up the melting of ice, and can often have an accelerating chemical blended in as well. Nassco® offers three blended ice melters to suit your needs:

- 1. Nassco® Ice Melt** – Our most popular and economical choice. In granular form, Nassco® Ice Melt includes a bio-based melting accelerant, is blue in color and melts down to -5°F.
- 2. Ice Brute®** - For sensitive environmental areas. Ice Brute® includes a bio-based melting accelerant. All dyes have been removed for a more environmentally friendly product. Ice Brute melts down to -5°F.
- 3. Nassco® High Performance Ice Melt** - The most aggressive blended granular product available, Nassco® High Performance Ice Melt includes two powerful melting accelerants, is blue in color, and melts down to -15°F.

Calcium Chloride Based Pellets

Peladow® Calcium Chloride and Ice Foe® are best for the most demanding conditions and lowest temperatures. With aggressive melt temperatures of -25°F, these products melt snow and ice in the coldest days and help prevent refreezing. When used as directed, they leave no white powdery residue and have low to no impact on concrete, sidewalks, roads, tires, floors or carpeting.

ICE MELT



Item #	Name + Accelerant	Type	Melt Temp	Color	Size/Pkg	Qty Per Skid
N-02665	Nassco® Ice Melt with Bio-based Propel®	Granular Blend	-5°F	Blue	50# BAG	50
N-02675	Nassco® Ice Melt with Bio-based Propel®	Granular Blend	-5°F	Blue	50# BOX	40
IM7754	Ice Brute® with Bio-based Propel®	Granular Blend	-5°F	Clear	50# BAG	50
N-02664	Nassco® High Performance Ice Melt with Bio-based Propel® and Activar®	Granular Blend	-15°F	Blue	50# BAG	50
LQ6405TM	Triple Melt® Liquid De-icer	Liquid - Dense Pak	-15°F°	Blue	5 GAL	32
LQ6425TM	Triple Melt® Liquid De-icer	Liquid	-15°F	Blue	250 GAL TOTE	1
IM81070	Ice Foe® with Isotrol/2®	Calcium Chloride Pellets	-25°F	White/Pink	70# DRUM	24
IM6055	Peladow® Calcium Chloride	Calcium Chloride Pellets	-25°F	White	50# BAG	50

Walk-Behind Liquid Sprayer

- Use with Triple Melt® liquid de-icers, #LQ6405TM and #LQ6425TM
- Apply liquid ice melt ahead of storms with our Walk-Behind Liquid Spray
- Sprays a standard 4' sidewalk in one pass
- Hose and spray wand treat outdoor steps
- 5 gal tank treats 5000 sq ft of sidewalk
- Corrosive resistant all-plastic body
- Rechargeable 12V non-spillable battery



ICE AND SNOW REMOVAL

Heavy-Duty Aluminum Snow Pusher

- 12" x 24" blade
- 42" yellow poly D grip wood handle
- Heavy-duty aluminum blade is strong, durable and lightweight
- Rust and corrosion resistant
- 12-gauge steel pusher heels are the sturdiest in the industry

Item #	Description	Size	Pk/Qty
03071	Heavy-Duty Snow Pusher	12" x 24" blade	EACH
03040	Snow Shovel	15" x 18" blade	EACH
05009	Ice Scraper	4.5" x 7" blade	EACH

Aluminum Snow Shovel

- 15" x 18" blade
- 36" yellow poly D grip wood handle
- Economical utility shovel

Ice Scraper

- 4.5" x 7" blade
- 48" wood handle



ICE MELT DISPENSING, SPREADING AND APPLYING

Nassco® is making it faster and easier for your facility to manage icy storms with convenient dispensing and application systems for ice melt. Keep a supply of granular ice melt in a 20 gallon Rubbermaid® BRUTE® receptacle near each building entryway. Scoop it out with your Nassco® Deluxe Measuring Scoop. Apply ice melt on sidewalks and in small areas with our Handi-Spreader. Or, beat storms to the punch by applying liquid ice melt with a Pump-Up Sprayer.



Handi-Spreader

- Covers area 6' to 12' wide with 3 settings
- Capacity of 6-lbs. pelletized material
- Rust and corrosion-proof

Item #	Color	Pk/Qty
5450	Green	6/CS



Rubbermaid® BRUTE® Ice Melt Container with Lid, and Dolly

- Entryway container for convenient ice melt storage
- 20 gal capacity container fits two (2) 50 lb. bag of ice melt
- Use BRUTE® Dolly with BRUTE® Container to easily move ice melt throughout your facility
- UV inhibitor ensures long life in extreme commercial environments

Item #	Description	Color	Pk/Qty
FG262000WHT	20-Gal Ice Melt Container	White	EACH
FG261960WHT	Lid for Ice Melt Container	White	EACH
FG264043BLA	Quiet Dolly	Black	EACH

Chemical Resistant Pump-Up Sprayer

- 2-gal capacity with 12" brass wand
- Carrying strap and locking handle
- Twist to pump operation
- Full brass shut-off valve and extension wand

Item #	Color	Pk/Qty
7522	Black/Translucent	EACH



Nassco® Deluxe Measuring Scoop

- Use to scoop granular ice melt from Rubbermaid® BRUTE® Ice Melt Container
- 2 quart capacity
- Sturdy polypropylene construction

Item #	Color	Pk/Qty
N-Q2368	White	12/CS

ICE MELT RESIDUE CLEANING CHEMICALS

Ice melt compounds can leave a film on facility floors. Be sure to neutralize and remove this harmful residue with a neutralizer. Nassco® Pro Series 130 Neutralizer can also be used in extraction machines to remove sticky salt from carpets and entrance matting.

Nassco® Pro Series 130 Neutralizer, and Concept 915

- Removes ice melt residue from carpets and floors
- Eliminates unattractive white haze to ensure superior gloss, durability and appearance of floors
- Protects and extends the life of any floor finish by removing surface alkalinity and abrasive residue
- Nassco® Neutralizer: Dilute 1:64
- Concept 915: Fill mop bucket with 3 to 5 gallons of water and add 1 packet

Item #	Description	Pk/Qty
N-02363	130 Neutralizer	1 GAL 4/CS
ST0717	Concept 915 Packet	5OZ PK 36/CS



FLOOR CLEANING TOOLS

Rubbermaid® WaveBrake® Down Press and Side Press Bucket & Wringer

- Both Down Press and Side Press systems reduce splashing for a safer environment, cleaner floors, and improved productivity
- Tested to exceed 50,000 wringing cycles
- Premium tubular steel and structural web molded plastic
- LEED credits available

Item #	Description	Size	Pk/Qty
FG757788YEL	Yellow Down Press	35 QT	EACH
FG758088YEL	Yellow Side Press	35 QT	EACH



Nassco® Pro Series All-Purpose Wet Mop

- 5" headband with tailband
- 4-Ply Cotton/Rayon/Synthetic blend
- Twisted blended fibers won't leave lint or strings
- Looped end with mesh tailband to avoid tangling
- Launderable
- Made in the USA



Item#	Color	Size	Pk/Qty
N-02340	Blue	Small	6/CS
N-02341	Blue	Medium	6/CS
N-02342	Blue	Large	6/CS
N-02343	Blue	X-Large	6/CS

Nassco® Pro Series Quick Change Wet Mop Handle

- Fiberglass handle with plastic head
- Swing away bar facilitates fast mop head changes
- Thumb wheel and side gate construction eliminates need to touch a dirty mop head
- Accommodates either 5" or 1" wide band mop heads
- Made in the USA



Item#	Handle Size	Handle Color	Pk/Qty
N-02405	60"	Yellow	12/CS
N-02406	60"	Green	12/CS
N-02407	60"	Blue	12/CS

EQUIPMENT

Labor represents 90% or more of the total cost of floor cleaning. Reduce your labor cost on ice melt and residue cleanup by using the most productive floor and facility cleaning equipment available.



Advance AM2400D™ Air Mover

- Compact power and versatility to dry carpets and floors fast
- Energy efficient 3-speed (high, medium, low) motor delivers up to 2,400 CFM air flow
- 21' cord

Item #	Motor Amp	Pk/Qty
50000390	4 amp	EACH

Advance SC351™ Automatic Floor Scrubber

- Compact walk-behind automatic scrubber with 14" disk
- 84 Ah maintenance-free (AGM) battery
- Onboard battery charger, 115 VAC/12 VDC
- 14" prolene brush



Item#	Pad Size	Batteries	Charger Type
9087342020	14"	84 Ah AGM	Onboard

ProTeam® Super CoachVac HEPA Vacuum With Xover Floor Tool Kit D

- Backpack Vacuum with Tool Kit
- 150 CFM, 66 dBA
- HEPA-certified four-level filtration
- CRI Certified GOLD
- 50 ft. extension cord with 1½ ft. static-dissipating hose
- Includes hose assembly, wand, floor tool, dusting tool, crevice tool and upholstery tool



Item#	Capacity	Accessories
107119	10 qt	2 Piece Wand and Xover Floor Tool

Gordon Brush® Speedy Sweep Cordless Sweeper

- 12" sweeping path
- 43.3" x 9.8" x 11.8"
- Battery powered roller brush
- Nickel-Metal Hydride battery
- Runs 60 minutes on carpet / 90 minutes on hard floor
- Easily remove dustpan for dirt emptying
- Includes wall mount, compact power adapter for charging, and pet hair brush roller
- 3.9 lbs.



Item#	Cleaning Path	Batteries
558000	12"	Nickel-Metal Hydride

SAFETY



ProGuard® Frontrunner Safety Glasses

- Adjustable lock-in temples, wraparound design
- Maximum coverage at brow and sides
- Scratch-resistant polycarbonate
- Lenses provide 99.9% UV protection
- Exceeds ANSI 87.1-2003 high impact requirement




Folding Two-Sided Floor Safety Signs









- Lightweight and versatile; makes a heavy statement about safety
- Caution warning messages imprinted in English, French, and Spanish for effective communication to broad audiences
- Two-sided, 25" (63.5 cm) model for use in narrow areas
- Folding design for convenient storage or transport on Janitor Cart

Item #	Color	Size	Pk/Qty	Item #	Description	Color	Pk/Qty
7334B	Black Frame/Clear Lens	One Size Fits All	12 PAIR/CS	FG611200YEL	"Caution" Floor Sign (Multi-Lingual)	Yellow	6/CS
				FG611277YEL	"Caution" Floor Sign	Yellow	6/CS

MATTING

Entrance or walk-off matting will prevent about 90% of soil from entering your building. Interior and exterior mats should always be part of your floor and facility maintenance program, for the safety of people and the protection of your floors.



-  151 Medium Brown
-  152 Dark Brown
-  154 Charcoal
-  156 Medium Blue
-  157 Medium Grey
-  159 Evergreen
-  160 Bordeaux
-  161 Navy

Andersen Waterhog® Classic Mats

Item #	Size*	Pk/Qty
200/2X3/xxx	2' x 3'	EACH
200/3X4/xxx	3' x 4'	EACH
200/3X5/xxx	3' x 5'	EACH
200/3X10/xxx	3' x 10'	EACH
200/4X6/xxx	4' x 6'	EACH
200/4X10/xxx	4' x 10'	EACH

Because of the many combinations of size, color, shape, fabric, thickness and type of matting, it's best to let an experienced Nassco® professional help design a custom matting program for your facility. We will do a walk-through of your building with you and discuss the areas and ways that various types of mats can help increase productivity and protect both floors and people. Shown is a small sample of the options available. Call us at 800-729-6726 to schedule a consultation.

*The above represents Nassco's most popular sizes. Many other options are available and delivered in 10-14 days.



over **6 DECADES** in business

more than **13,000** items in stock

ORDER THE WAY YOU LIKE

- Online at **nasscoinc.com**. It's quick and easy to open an account.
- By phone at **800-729-6726**.
- **In person** with your Nassco® sales representative.
- Email your order to **orders@nasscoinc.com**.
- **Fax** your order to one of our three locations below.
- Most orders can be delivered next day. Or, you may pick up your order at **will call** at any of our locations.



Where **People** and **Productivity** Meet™

**Headquarters, Showroom,
Service and Distribution**

5365 S. Moorland Rd.
New Berlin, WI 53151
fax: 414-422-0480

**Showroom, Service
and Distribution**

4166 Commercial Ave.
Madison, WI 53703
fax: 608-256-7094

**Showroom, Service
and Distribution**

7713 Bombardier Ct.
Wausau, WI 54401
fax: 715-848-3707

800-729-6726 | NASSCOINC.COM | orders@nasscoinc.com