# WEDOR CORPORATION

# Safety Data Sheet Omit

### **SECTION 1: Identification**

1.1 Product identifier

Product name Omit

1.4 Supplier's details

Name Wedor Corporation Address 1907 S. 89th Street West Allis, WI 53227

**USA** 

 Telephone
 414-329-9041

 Fax
 414-329-9043

 email
 wayne@wedor.com

1.5 Emergency phone number(s)

800-424-9300

### **SECTION 2: Hazard identification**

### 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

#### 2.2 GHS label elements, including precautionary statements

Not a hazardous substance or mixture.

### 2.3 Other hazards which do not result in classification

Not a hazardous substance or mixture.

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

### **SECTION 4: First-aid measures**

### 4.1 Description of necessary first-aid measures

General advice Consult a

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled If breathed in, move person into fresh air. If not breathing, give artificial

respiration.

In case of skin contact

None needed for normal use

In case of eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting upper and

lower lids. If irritation persists or for foreign body in the eye, get medical

attention.

If swallowed If used material is ingested, get medical attention due to the possibility of

chemical contamination. If large amounts of the unused material is

swallowed, get immediate medical attention.

Personal protective equipment for first-aid responders

None required

#### 4.2 Most important symptoms/effects, acute and delayed

Eye contact may cause mechanical irritation and possible eye injury. May cause mechanical skin and respiratory irritation. May cause cancer if respirable dust is inhaled over prolonged periods. This product contains contains crystalline silica. Inhalation of respirable crystalline silica may cause lung disease, silicosis with symptoms of shortness of breath and cough.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

No immediate medical attention is required.

### **SECTION 5: Fire-fighting measures**

#### 5.1 Suitable extinguishing media

Use media that is appropriate for surrounding fire; unused product is not combustible.

### 5.2 Specific hazards arising from the chemical

None

### 5.3 Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### **Further information**

None

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

No special equipment is generally required for spill clean-up. For dusty conditions, an approved respirator may be needed. Refer to section 8 for additional information.

#### 6.2 Environmental precautions

Report spill as required by local and federal regulations.

### 6.3 Methods and materials for containment and cleaning up

Sweep up and collect unused material for re-use or disposal

#### Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Wash thoroughly with soap and water after use. If clothing becomes dusty, launder before re-use

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry area. Keep away from turpentine, hydrofluoric acid, vegetable oil, and other unsaturated organic compounds (such as fish oil), as this may generate heat and/or fire.

#### Specific end use(s)

Spillage absorbent - deodorant

### **SECTION 8: Exposure controls/personal protection**

#### 8.2 Appropriate engineering controls

General ventilation is adequate for normal use. If handling produces airborne dust, local exhaust ventilation may be needed.

### 8.3 Individual protection measures, such as personal protective equipment (PPE)

### **Pictograms**







### Eye/face protection

Safety glasses or goggles is recommended.

### Skin protection

It is advised to wear disposable gloves, to prevent the hands from being dis-colored and drying out.

### **Body protection**

Safety glasses, disposable gloves and a dust mask.

#### Respiratory protection

A dust mask may be used where the dust concentration may become excessive.

#### Thermal hazards

No data available

#### Control banding approach

No data available

### **Environmental exposure controls**

No data available

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.) Green Granular Solid Odor Cherry Scented Odor threshold No data available No data available Ηq Melting point/freezing point No data available Initial boiling point and boiling range No data available Flash point No data available Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability limits No data available Upper/lower explosive limits No data available Vapor pressure No data available Vapor density No data available Relative density No data available Solubility(ies) Insoluble Partition coefficient: n-octanol/water No data available Auto-ignition temperature No data available Decomposition temperature No data available Viscosity No data available Explosive properties No data available Oxidizing properties No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not normally reactive

### 10.2 Chemical stability

Stable

### 10.3 Possibility of hazardous reactions

Spontaneous combustion can occur when this product is used to absorb turpentine, hydrofluoric acid, vegetable oil, or unsaturated organic compounds (such as fish oil). Do not use this material with these compounds.

### 10.4 Conditions to avoid

None

#### 10.5 Incompatible materials

Turpentine, hydrofluoric acid, vegetable oil, fish oil, unsaturated organic compounds.

#### 10.6 Hazardous decomposition products

None

### **SECTION 11: Toxicological information**

### Information on toxicological effects

#### Acute toxicity

Inhalation of dust may cause irritation to the eyes, nose, throat and respiratory tract.

### Skin corrosion/irritation

No known hazard

### Serious eye damage/irritation

No known hazard

### Respiratory or skin sensitization

Inhalation of dust may cause irritation to the eyes, nose, throat and respiratory tract.

### Germ cell mutagenicity

No known hazard

### Carcinogenicity

The International Agency for Research on Cancer (IARC), in Monograph 100C has concluded that crystalline silica inhaled in the form of quartz is carcinogenic to humans (group 1). Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on the external factors affecting its biological activity or distribution of its polymorphs. the National Toxicology Program (NTP classifies crystalline silica as a known carcinogen.

**Acute Toxicity Values** 

Silica:

LD50 oral rat 22,500 mg/kg LC50 carp>10000 mg/L/72 hr.

### Reproductive toxicity

No data available

### Summary of evaluation of the CMR properties

No data available

### STOT-single exposure

No data available

### STOT-repeated exposure

No data available

### **Aspiration hazard**

No data available

#### **Additional information**

No data available

## **SECTION 12: Ecological information**

### **Toxicity**

No data available

### Persistence and degradability

Fuller's Earth and silica are non-degradable.

### **Bioaccumulative potential**

Not bioaccumulative

### Mobility in soil

No data available

### Results of PBT and vPvB assessment

No data available

#### Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

### Disposal of the product

Dispose of in accordance with local, state and federal environmental regulations. Unused material is suitable for disposal in sanitary landfill. Used material may be subject to regulation, depending on the nature of the material absorbed. Check with appropriate regulatory authority for used material containing hazardous waste.

### Disposal of contaminated packaging

Empty containers should be decontaminated and taken for local recycling, recovery or waste disposal.

#### Waste treatment

See disposal of the product.

#### Sewage disposal

See disposal of the product.

### Other disposal recommendations

See disposal of the product.

### **SECTION 14: Transport information**

### DOT (US)

Not dangerous goods

#### **IMDG**

Not dangerous goods

### **IATA**

Not dangerous goods

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations specific for the product in question

#### SARA 311/312 Hazards

Oil Dri Chronic Health

### **SARA 313 Components**

None

### California Prop. 65 Components

Oil Dri contains respirable crystalline silica which is known to the State of California to cause cancer.

### **Toxic Substances Control Act (TSCA) Inventory**

Oil Dri, is listed on the EPA TSCA Inventory or exempt from notification requirements.

#### **Canadian WHMIS Classification**

Oil Dri, Class D-2 A

#### 15.2 Chemical Safety Assessment

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks although HMIS ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS ratings are to be used with a fully implemented HMIS program. HMIS is a registered mark of the National Paint and Coatings Association (NPCA).

Reprinted with permission from NFPA 704-2001, Identification of Hazards of Materials for Emergency Response copyright 1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright 2001 National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### **HMIS Rating**

Omit	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

### **NFPA** Rating



#### **SECTION 16: Other information**

Date of Issue/Date of: 11/11/2016 Revision

#### 16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Wedor Corporation be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Wedor Corporation has been advised of the possibility of such damages.

# 16.2 Preparation information

Prepared by: Wayne T Benz