

PROVON® Antimicrob	al Foam Handwash with 2% CHG
Version 1.0	MSDS Number: 40000005227 Revision Date: 07/08/20
SECTION 1. IDENTIFICATION	
Product name	: PROVON® Antimicrobial Foam Handwash with 2% CHG
Manufacturer or supplier's	details
Company name of supplier	: GOJO Industries, Inc.
Address	: One GOJO Plaza, Suite 500
	Akron, Ohio, 44311
Telephone	: 1 (330) 255-6000
Emergency telephone number	: 1-800-424-9300 CHEMTREC
humber	
Recommended use of the o	hemical and restrictions on use
Recommended use	: Pharmaceutical
	Filamaceulica
SECTION 2. HAZARDS IDENTIF	
JEUTION Z. HAZARUS IDENTIF	
GHS Classification	
Skin irritation	: Category 2

Serious eye damage : Category 1 Carcinogenicity : Category 2

GHS Label element

Hazard pictograms



Signal word

: Danger

- Hazard statements: H315 Causes skin irritation.
H318 Causes serious eye damage.
H351 Suspected of causing cancer.
- Precautionary statements
 : Prevention:

 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.

 P280 Wear eye protection/ face protection.
 Response:

 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



Version 1.0	MSDS Number: 40000005227	Revision Date: 07/08/2016
	P308 + P313 IF exposed or cond attention. P332 + P313 If skin irritation occ tion. P362 Take off contaminated clot Storage: P405 Store locked up. Disposal: P501 Dispose of contents/ conta	cerned: Get medical advice/ curs: Get medical advice/ atten ching and wash before reuse.
	posal plant.	

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
Isopropyl Alcohol	67-63-0	>= 1 - < 5
Proprietary Component 1	Not Assigned	>= 1 - < 5
Proprietary Component 2	Not Assigned	>= 1 - < 5
Chlorhexidine Digluconate	18472-51-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water. Get medical attention if irritation develops and persists.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	:	Do NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	Causes serious eye damage. Causes skin irritation. May be harmful if swallowed.

SECTION 5. FIREFIGHTING MEASURES



Version 1.0	MSDS Number: 40000005227 Revision Date: 07/08/2016
Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	: None known.
Hazardous combustion prod- ucts	: Carbon oxides Nitrogen oxides (NOx)
Specific extinguishing meth- ods	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while ob- serving environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	For personal protection see section 8. Avoid contact with eyes. Keep container closed when not in use.
Conditions for safe storage	Keep in properly labelled containers. Keep container tightly closed in a dry and well-ventilated place. Store in accordance with the particular national regulations.



Version 1.0

MSDS Number: 40000005227

Revision Date: 07/08/2016

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	No personal respiratory protective equipment normally r quired.	e-
Hand protection Remarks	No special protective equipment required.	
Eye protection	No special protective equipment required. Wear face-shield and protective suit for abnormal proce- problems.	ssing
Skin and body protection	No special protective equipment required.	
Protective measures	Choose body protection in relation to its type, to the contration and amount of dangerous substances, and to the cific work-place. Ensure that eye flushing systems and safety showers are located close to the working place.	e spe-
Hygiene measures	Handle in accordance with good industrial hygiene and s practice. Avoid contact with eyes.	safety

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless



Version 1.0	MSDS Number: 400000005227	Revision Date: 07/08/2016
Odour	: No data available	
Odour Threshold	: No data available	
рН	: No data available	
Melting point/range	: No data available	
Boiling point/boiling range	: 97 °C	
Flash point	: > 93.3 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 1.06 g/cm3	
Solubility(ies) Water solubility	: soluble	
Auto-ignition temperature	: not determined	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No hazards to be specially mentior	ed.
Chemical stability	: Stable under normal conditions.	
Conditions to avoid	: Heat.	
Incompatible materials	: None known.	
Hazardous decomposition products	: Ammonia Hydrogen chloride gas Nitrogen oxides (NOx) Carbon oxides	



Version 1.0 MSDS Number: 40000005227 Revision Date: 07/08/2016

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure			
Acute toxicity			
Not classified based on availab	ble information.		
Product:			
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method		
Components:			
Isopropyl Alcohol:			
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg		
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour		
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg		
Chlorhexidine Digluconate:			
Acute oral toxicity	: LD50 Oral (Rat): 2,000 mg/kg		
	Acute toxicity estimate : 500 mg/kg		
Acute dermal toxicity	: Median lethal dose (Rabbit): 2,000 mg/kg		
Skin corrosion/irritation			
Causes skin irritation.			
<u>Components:</u> Isopropyl Alcohol: Species: Rabbit Result: No skin irritation			
Proprietary Component 1: Assessment: Causes burns.			
Serious eye damage/eye irritation			
Causes serious eye damage.			
<u>Components:</u> Isopropyl Alcohol:			

Isopropyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Chlorhexidine Digluconate:

Assessment: Risk of serious damage to eyes. Remarks: Risk of serious damage to eyes., Severe eye irritation



Version 1.0

MSDS Number: 40000005227

Revision Date: 07/08/2016

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Isopropyl Alcohol: Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Isopropyl Alcohol:	Test Type: Bacterial reverse mutation assay (AMES)
Genotoxicity in vitro	Result: negative
Genotoxicity in vivo	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

Isopropyl Alcohol:

Species: Rat Application Route: inhalation (vapour) Exposure time: 104 weeks Method: OECD Test Guideline 451 Result: negative

IARC	Group 2B: Possibly carcinogenic to humans	
	Proprietary Component 2	
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.	
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	



Version 1.0	MSDS Number: 400000005227	Revision Date: 07/08/2016

Reproductive toxicity

Not classified based on available information.

Components:

Isopropyl Alcohol: Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal develop- ment	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Isopropyl Alcohol: Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Isopropyl Alcohol: Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapour) Exposure time: 104 w Method: OECD Test Guideline 413

Proprietary Component 1:

Repeated dose toxicity -	: Causes severe skin burns and eye damage.
Assessment	

Chlorhexidine Digluconate:

Repeated dose toxicity -	:	Causes serious eye damage.
Assessment		

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Isopropyl Alcohol: Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h



	MSDS Number: 400000005227 Revision Date: 07/08/207
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h
Proprietary Component 2: Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): 3.6 mg/l Exposure time: 96 h Test Type: semi-static test
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 4.2 mg/l Exposure time: 24 h
Chlorhexidine Digluconate: Toxicity to fish	: (Fish): 2.08 mg/l
Toxicity to daphnia and other aquatic invertebrates	: (Daphnia magna (Water flea)): 0.087 mg/l
Toxicity to algae	: (Chlorella pyrenoidosa (aglae)): 0.081 mg/l
Ecotoxicology Assessment Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.
Persistence and degradability	у
Components:	
Isopropyl Alcohol:	: Result: rapidly degradable
Biodegradability	
Chlorhexidine Digluconate:	: Result: Not readily biodegradable.
Biodegradability Chlorhexidine Digluconate: Biodegradability Bioaccumulative potential	: Result: Not readily biodegradable.
Chlorhexidine Digluconate: Biodegradability Bioaccumulative potential Components: Isopropyl Alcohol: Partition coefficient: n-	 Result: Not readily biodegradable. log Pow: 0.05
Chlorhexidine Digluconate: Biodegradability Bioaccumulative potential <u>Components:</u> Isopropyl Alcohol:	
Chlorhexidine Digluconate: Biodegradability Bioaccumulative potential Components: Isopropyl Alcohol: Partition coefficient: n- octanol/water Chlorhexidine Digluconate:	: log Pow: 0.05
Chlorhexidine Digluconate: Biodegradability Bioaccumulative potential Components: Isopropyl Alcohol: Partition coefficient: n- octanol/water Chlorhexidine Digluconate: Bioaccumulation Mobility in soil	: log Pow: 0.05



Version 1.0	MSDS Number: 400000005227	Revision Date: 07/08/2016
	Stratospheric Ozone - CAA Sect	ion 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good **National Regulations**

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Chronic Health Hazard Acute Health Hazard	
SARA 302	No chemicals in this material are subject to the reporting re- quirements of SARA Title III, Section 302.	
SARA 313	The following components are subject to reporting levels es- tablished by SARA Title III, Section 313:	
	Isopropyl Alcohol 67-63-0	4.9999 %

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).



sion 1.0	MSDS Number: 40	0000005227 Revisio	n Date: 07/08/20
Accidental Rele The following c	bes not contain any chemicals lister ease Prevention (40 CFR 68.130, 5 hemical(s) are listed under the U.S C's (40 CFR 60.489):	Subpart F).	
Isop	propyl Alcohol 67-63-0 pes not contain any VOC exemption	4.9999 % ns listed under the U.S. Clea	in Air Act Sectior
Clean Water A	ct		
This product do Section 311, Ta This product do Section 311, Ta	ues not contain any Hazardous Sub able 116.4A. ues not contain any Hazardous Che	emicals listed under the U.S.	CleanWater Act
	- Diaht Ta Know		
Massachusett	s Right To Know Isopropyl Alcohol	67-63-0	1 - 5 %
		07-03-0	1-5 /8
Pennsylvania	Right To Know	7700 40 5	00 400 %
	Water (Aqua) Isopropyl Alcohol	7732-18-5 67-63-0	90 - 100 % 1 - 5 %
	Proprietary Component 1	Not Assigned	
Proprietary Component 2 Proprietary Component 3		Not Assigned	
		Not Assigned	1 - 5 %
	Proprietary Component 4	Not Assigned	1 - 5 %
New Jersey Ri	ght To Know		
	Water (Aqua)	7732-18-5	90 - 100 %
	Isopropyl Alcohol	67-63-0	1 - 5 %
	Proprietary Component 1	Not Assigned	
	Proprietary Component 2 Proprietary Component 3	Not Assigned Not Assigned	
	Proprietary Component 4	Not Assigned	1 - 5 %
California Pro		is product contains a chemic nia to cause cancer.	al known to the
	Proprietary Component 2	Not Assigned	
The componer	nts of this product are reported i	n the following inventories	X.
CH INV		ry, or in compliance with the	
TSCA	: On TSCA Inventory		
DSL	: All components of this product are on the Canadian DSL.		
AICS	: On the inventory, or in compliance with the inventory		
NZIoC	: On the inventory, or in compliance with the inventory		
ENCS	: On the inventory, or in compliance with the inventory		
	: On the inventory, or in compliance with the inventory		
ISHL		<i>,</i> , ,	




Version 1.0	MSDS Number: 40000005227	Revision Date: 07/08/2016
PICCS	: On the inventory, or in compliance	ce with the inventory
IECSC	: On the inventory, or in compliance with the inventory	

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



Revision Date : 07/08/2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.