



## Safety Data Sheet

Copyright, 2025, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document Group:** 09-2779-8  
**Issue Date:** 02/24/25

**Version Number:** 27.00  
**Supersedes Date:** 05/28/24

### SECTION 1: Identification

#### 1.1. Product identifier

Scotch-Brite™ Quick Clean Griddle Liquid (No. 700 and No. 701)

##### Product Identification Numbers

| ID Number      | UPC              | ID Number      | UPC              |
|----------------|------------------|----------------|------------------|
| 70-0070-0037-8 | 00-48011-29603-1 | 70-0711-2705-7 | 00-48011-26012-4 |
| 70-0715-9365-4 | 00-48011-28398-7 | 70-0716-5801-0 | 00-51125-85780-7 |
| 70-0716-5821-8 | 00-51125-85793-2 |                |                  |

7000002182, 7010385947, 7100049397, 7100074067, 7000030077

#### 1.2. Recommended use and restrictions on use

##### Recommended use

A powerful griddle cleaning liquid that is safe for use on food contact surfaces. Loosens and lifts carbonized grease and food soil upon contact on a hot griddle for easy removal. No fragrance added

#### 1.3. Supplier's details

**MANUFACTURER:** 3M  
**DIVISION:** Commercial Branding and Transportation Division  
**ADDRESS:** 3M Center, St. Paul, MN 55144-1000, USA  
**Telephone:** 1-888-3M HELPS (1-888-364-3577)

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

#### 2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### 2.2. Label elements

##### Signal word

Not applicable.

**Symbols**

Not applicable.

**Pictograms**

Not applicable.

**Supplemental Information:**

May cause thermal burns.

**SECTION 3: Composition/information on ingredients**

| <b>Ingredient</b>   | <b>C.A.S. No.</b> | <b>% by Wt</b>           |
|---------------------|-------------------|--------------------------|
| GLYCERIN            | 56-81-5           | 60 - 70 Trade Secret *   |
| Water               | 7732-18-5         | 15 - 25 Trade Secret *   |
| Potassium Carbonate | 584-08-7          | 5 - 10 Trade Secret *    |
| SODIUM CARBONATE    | 497-19-8          | 1 - 5 Trade Secret *     |
| Tartrazine          | 1934-21-0         | 0.1 - 0.2 Trade Secret * |

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

**Skin Contact:**

During heating: Immediately flush skin with large amounts of cold water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Cover affected area with a clean dressing. Get immediate medical attention.

**Eye Contact:**

During heating: Immediately flush eyes with large amounts of water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Get immediate medical attention.

**If Swallowed:**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable.

**SECTION 5: Fire-fighting measures****5.1. Suitable extinguishing media**

Use a fire fighting agent suitable for the surrounding fire.

**5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

**Hazardous Decomposition or By-Products****Substance**

Acrolein

**Condition**

During Combustion

Hydrocarbons  
Formaldehyde  
Carbon monoxide  
Carbon dioxide

During Combustion  
During Combustion  
During Combustion  
During Combustion

### 5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Contain spill. For large spills, if necessary, get assistance from professional spill clean up team. For small spills, carefully neutralize spill by adding appropriate dilute acid such as vinegar. Work slowly to avoid boiling or spattering. Continue to add neutralizing agent until reaction stops. Let cool before collecting. Or use a commercially available caustic (alkaline or basic) spill clean-up kit. Follow kit directions exactly. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid skin contact with hot material. Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. To prevent hot vapors and splashes during application onto a hot griddle, do not also apply other liquids.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from acids.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|------------|------------|--------|------------|---------------------|
|------------|------------|--------|------------|---------------------|

|          |         |      |                                                              |  |
|----------|---------|------|--------------------------------------------------------------|--|
| GLYCERIN | 56-81-5 | OSHA | TWA(as total dust):15 mg/m3;TWA(respirable fraction):5 mg/m3 |  |
|----------|---------|------|--------------------------------------------------------------|--|

ACGIH : American Conference of Governmental Industrial Hygienists  
 AIHA : American Industrial Hygiene Association  
 CMRG : Chemical Manufacturer's Recommended Guidelines  
 OSHA : United States Department of Labor - Occupational Safety and Health Administration  
 TWA: Time-Weighted-Average  
 STEL: Short Term Exposure Limit  
 CEIL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Provide appropriate local exhaust when product is heated. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

None required.

#### Skin/hand protection

None required.

#### Respiratory protection

None required.

#### Thermal hazards

When the product is used according to griddle cleaning instructions, thermal protection is not required. Refer to instructions for use on avoidance of adding other liquids to a hot griddle that may result in exposure to hot vapors and/or splashes.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state

Liquid

Color

Yellow-Orange

Odor

Mild Odorless

Odor threshold

*No Data Available*

pH

Approximately 12

Melting point

*Not Applicable*

Boiling Point

Approximately 248 °F

Flash Point

No flash point

Evaporation rate

*No Data Available*

Flammability (solid, gas)

Not Applicable

Flammable Limits(LEL)

*Not Applicable*

Flammable Limits(UEL)

*Not Applicable*

Vapor Pressure

*Not Applicable*

Vapor Density

*Not Applicable*

Density

1.3 g/ml

Specific Gravity

Approximately 1.3 [Ref Std: WATER=1]

Solubility in Water

Complete

Solubility- non-water

*No Data Available*

Partition coefficient: n-octanol/ water

*Not Applicable*

|                                |                                                                          |
|--------------------------------|--------------------------------------------------------------------------|
| Autoignition temperature       | 698 °F [ <i>Details:CONDITIONS: For glycerin only (NFPA, 11th ed.)</i> ] |
| Decomposition temperature      | <i>No Data Available</i>                                                 |
| Viscosity                      | Approximately 200 centipoise                                             |
| Hazardous Air Pollutants       | 0                                                                        |
| Molecular weight               | <i>Not Applicable</i>                                                    |
| Volatile Organic Compounds     | 0                                                                        |
| Percent volatile               | 10 - 30 %                                                                |
| VOC Less H2O & Exempt Solvents | 0                                                                        |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Not determined

### 10.5. Incompatible materials

Strong acids

### 10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
|------------------|------------------|

|             |  |
|-------------|--|
| None known. |  |
|-------------|--|

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin Contact:

During heating: Thermal Burns: Signs/symptoms may include intense pain, redness and swelling, and tissue destruction.  
Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

**Eye Contact:**

During heating: Thermal Burns: Signs/symptoms may include severe pain, redness and swelling, and tissue destruction. Contact with the eyes during product use is not expected to result in significant irritation.

**Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name                | Route                          | Species                | Value                                          |
|---------------------|--------------------------------|------------------------|------------------------------------------------|
| Overall product     | Dermal                         |                        | No data available; calculated ATE >5,000 mg/kg |
| Overall product     | Ingestion                      |                        | No data available; calculated ATE >5,000 mg/kg |
| GLYCERIN            | Dermal                         | Rabbit                 | LD50 estimated to be > 5,000 mg/kg             |
| GLYCERIN            | Ingestion                      | Rat                    | LD50 > 5,000 mg/kg                             |
| Potassium Carbonate | Dermal                         | Rabbit                 | LD50 > 2,000 mg/kg                             |
| Potassium Carbonate | Inhalation-Dust/Mist (4 hours) | Rat                    | LC50 > 5.58 mg/l                               |
| Potassium Carbonate | Ingestion                      | Rat                    | LD50 1,870 mg/kg                               |
| SODIUM CARBONATE    | Dermal                         | Rabbit                 | LD50 > 2,000 mg/kg                             |
| SODIUM CARBONATE    | Ingestion                      | Rat                    | LD50 2,800 mg/kg                               |
| Tartrazine          | Ingestion                      | Mouse                  | LD50 12,750 mg/kg                              |
| Tartrazine          | Dermal                         | similar health hazards | LD50 estimated to be > 5,000 mg/kg             |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name                | Species                | Value                     |
|---------------------|------------------------|---------------------------|
| Overall product     | Professional judgement | Mild irritant             |
| GLYCERIN            | Rabbit                 | No significant irritation |
| Potassium Carbonate | Rabbit                 | Minimal irritation        |
| SODIUM CARBONATE    | Rabbit                 | No significant irritation |
| Tartrazine          | In vitro data          | No significant irritation |

**Serious Eye Damage/Irritation**

| Name                | Species       | Value                     |
|---------------------|---------------|---------------------------|
| Overall product     | In vitro data | No significant irritation |
| GLYCERIN            | Rabbit        | No significant irritation |
| Potassium Carbonate | Rabbit        | Corrosive                 |
| SODIUM CARBONATE    | Rabbit        | Corrosive                 |

**Skin Sensitization**

| Name       | Species    | Value          |
|------------|------------|----------------|
| GLYCERIN   | Guinea pig | Not classified |
| Tartrazine | Mouse      | Not classified |

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

### Germ Cell Mutagenicity

| Name             | Route    | Value         |
|------------------|----------|---------------|
| SODIUM CARBONATE | In Vitro | Not mutagenic |
| Tartrazine       | In Vitro | Not mutagenic |
| Tartrazine       | In vivo  | Not mutagenic |

### Carcinogenicity

| Name       | Route     | Species | Value                                                                        |
|------------|-----------|---------|------------------------------------------------------------------------------|
| GLYCERIN   | Ingestion | Mouse   | Some positive data exist, but the data are not sufficient for classification |
| Tartrazine | Ingestion | Rat     | Not carcinogenic                                                             |

### Reproductive Toxicity

#### Reproductive and/or Developmental Effects

| Name             | Route     | Value                                  | Species | Test Result           | Exposure Duration    |
|------------------|-----------|----------------------------------------|---------|-----------------------|----------------------|
| GLYCERIN         | Ingestion | Not classified for female reproduction | Rat     | NOAEL 2,000 mg/kg/day | 2 generation         |
| GLYCERIN         | Ingestion | Not classified for male reproduction   | Rat     | NOAEL 2,000 mg/kg/day | 2 generation         |
| GLYCERIN         | Ingestion | Not classified for development         | Rat     | NOAEL 2,000 mg/kg/day | 2 generation         |
| SODIUM CARBONATE | Ingestion | Not classified for development         | Mouse   | NOAEL 340 mg/kg/day   | during organogenesis |
| Tartrazine       | Ingestion | Not classified for female reproduction | Rat     | NOAEL 3,348 mg/kg/day | 1 generation         |
| Tartrazine       | Ingestion | Not classified for male reproduction   | Rat     | NOAEL 2,641 mg/kg/day | 1 generation         |
| Tartrazine       | Ingestion | Not classified for development         | Rat     | NOAEL 3,348 mg/kg/day | 1 generation         |

### Target Organ(s)

#### Specific Target Organ Toxicity - single exposure

| Name                | Route      | Target Organ(s)        | Value                            | Species | Test Result         | Exposure Duration |
|---------------------|------------|------------------------|----------------------------------|---------|---------------------|-------------------|
| Potassium Carbonate | Inhalation | respiratory irritation | May cause respiratory irritation |         | NOAEL not available |                   |

#### Specific Target Organ Toxicity - repeated exposure

| Name             | Route      | Target Organ(s)                                                                                                           | Value          | Species | Test Result            | Exposure Duration |
|------------------|------------|---------------------------------------------------------------------------------------------------------------------------|----------------|---------|------------------------|-------------------|
| GLYCERIN         | Inhalation | respiratory system   heart   liver   kidney and/or bladder                                                                | Not classified | Rat     | NOAEL 3.91 mg/l        | 14 days           |
| GLYCERIN         | Ingestion  | endocrine system   hematopoietic system   liver   kidney and/or bladder                                                   | Not classified | Rat     | NOAEL 10,000 mg/kg/day | 2 years           |
| SODIUM CARBONATE | Inhalation | respiratory system                                                                                                        | Not classified | Rat     | LOAEL 0.07 mg/l        | 3 months          |
| Tartrazine       | Ingestion  | heart   skin   endocrine system   gastrointestinal tract   bone, teeth, nails, and/or hair   hematopoietic system   liver | Not classified | Mouse   | NOAEL 8,103 mg/kg/day  | 104 weeks         |

|  |  |                                                                                                                                  |  |  |  |  |
|--|--|----------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
|  |  | immune system  <br>muscles   nervous<br>system   eyes  <br>kidney and/or<br>bladder   respiratory<br>system   vascular<br>system |  |  |  |  |
|--|--|----------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information****Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

**EPA Hazardous Waste Number (RCRA):** Not regulated

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

**SECTION 15: Regulatory information****15.1. US Federal Regulations****EPCRA 311/312 Hazard Classifications:****Physical Hazards**

Not applicable

**Health Hazards**

Not applicable

**15.2. State Regulations**



### 15.3. Chemical Inventories

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

### 15.4. International Regulations

**This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.**

## SECTION 16: Other information

### NFPA Hazard Classification

**Health:** 1 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 09-2779-8  
**Issue Date:** 02/24/25

**Version Number:** 27.00  
**Supersedes Date:** 05/28/24

**DISCLAIMER:** The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

**3M USA SDSs are available at [www.3M.com](http://www.3M.com)**