

SAFETY DATA SHEET

1. Identification

Product identifier	Protection That Lives On Microban Professional Brand 24 Hour Keeps Killing 99.9% of Bacteria For Up To 24 Hours Multi-Purpose Cleaner	
Other means of identification		
Product code	30110-005	
Recommended use	Multi-Purpose Cleaner	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Company name Microban Products Company		
Address	11400 Vanstory Drive	
	Huntersville, NC 28078	
	USA	
Telephone	704-875-0806	
Email	infoleads@microban.com	
Emergency phone number	(24 hr Emergency) 1-800-535-5053 or 1-352-323-3500	

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2B
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
OSHA defined hazards	Not classified.	

Label elements



Signal word	Warning	
Hazard statement	Causes eye irritation. Very toxic to aquatic life with long lasting effects.	
Precautionary statement		
Prevention	Wash thoroughly after handling. Avoid release to the environment.	
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Collect spillage.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ALCOHOLS, C9-11, ETHOXYLATED		68439-46-3	<1
Ethanol		64-17-5	<1

Chemical name	Common name and synonyms	CAS number	%
Quaternary Ammonium Compounds, Benzyl-c12-16-alkyldimethyl, Chlorides		68424-85-1	<1
DIDECYL DIMETHYL AMMON CHLORIDE	UM	7173-51-5	<0.5
4. First-aid measures			
nhalation	Move to fresh air. Call a physician if symptom	s develop or persist.	
Skin contact	Wash off with soap and water. Get medical at		l persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
ngestion	Rinse mouth. Get medical attention if sympton	ms occur.	
Most important symptoms/effects, acute and delayed	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treasymptoms may be delayed.	at symptomatically. Keep victim	under observation.
General information	Ensure that medical personnel are aware of the protect themselves.	ne material(s) involved, and tak	e precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carb	on dioxide (CO2).	
Jnsuitable extinguishing nedia	Do not use water jet as an extinguisher, as th	is will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures and con-	sider the hazards of other invol	ved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per appropriate protective equipment and clothing or spilled material unless wearing appropriate Local authorities should be advised if significa protection, see section 8 of the SDS.	during clean-up. Do not touch protective clothing. Ensure ad	damaged container equate ventilation.
Methods and materials for	Prevent entry into waterways, sewer, baseme	nts or confined areas.	
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material remove residual contamination.	(e.g. cloth, fleece). Clean surfa	ace thoroughly to
	Never return spills to original containers for re	-use. For waste disposal, see s	section 13 of the SD
Environmental precautions	Avoid release to the environment. Inform app environmental releases. Prevent further leaka drains, water courses or onto the ground.	ropriate managerial or supervis	ory personnel of all
7. Handling and storage			
Precautions for safe handling	Avoid contact with eyes. Avoid prolonged exp appropriate personal protective equipment. A industrial hygiene practices.		
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away f SDS).	rom incompatible materials (se	e Section 10 of the

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits Components	Туре	Value	
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3	
		1000 ppm	
logical limit values	No biological exposure limits noted	for the ingredient(s).	
propriate engineering trols	should be matched to conditions. If or other engineering controls to mai	d general ventilation (typically 10 air changes per hour) should be used. Ventilation rates uld be matched to conditions. If applicable, use process enclosures, local exhaust ventilation ther engineering controls to maintain airborne levels below recommended exposure limits. If psure limits have not been established, maintain airborne levels to an acceptable level. Prov wash station.	
vidual protection measure	s, such as personal protective equipr	nent	
Eye/face protection	Wear safety glasses with side shield	ls (or goggles).	
Skin protection Hand protection	Wear appropriate chemical resistan	t gloves.	
Other	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, we	ear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
neral hygiene siderations		serve good personal hygiene measures, such as washing after handling the material e eating, drinking, and/or smoking. Routinely wash work clothing and protective t to remove contaminants.	

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Clear water-white to Slightly Off-White.
Odor	Not available.
Odor threshold	Not available.
рН	9 - 10.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.

Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	1 - 1.01
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions

The product o cluble and non reductive and infinite conditions of doc, storage and iranoport.
Material is stable under normal conditions.
No dangerous reaction known under conditions of normal use.
Contact with incompatible materials.
Strong oxidizing agents.
No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Acute toxicity Based on available data, the classificat		classification criteria are not met.
Components	Species	Test Results
DIDECYL DIMETHYL AMMONI	UM CHLORIDE (CAS 7173-51-5)	
Acute		
Dermal		
LD50	Rabbit	2730 mg/kg
Ethanol (CAS 64-17-5)		
Acute		
Inhalation		
LC50	Mouse	39 mg/l, 4 Hours
Oral		
LD50	Rat	6.2 g/kg
Skin corrosion/irritation	Prolonged skin contact may c	ause temporary irritation.
Serious eye damage/eye irritation	Causes eye irritation.	

De suinstant an altin a sucitizatio				
Respiratory or skin sensitizatio Respiratory sensitization				
Skin sensitization				
Germ cell mutagenicity	-	This product is not expected to cause skin sensitization. No data available to indicate product or any components present at greater than 0.1% are		
Com com matagomeny	mutagenic or			
Carcinogenicity	Not classifiab	le as to carcinogenicity to humans.		
IARC Monographs. Overall	Evaluation of C	Carcinogenicity		
Not listed.		(20.055.4040.4004.4052)		
OSHA Specifically Regulate Not regulated.	eu Substances	(29 CFR 1910.1001-1053)		
US. National Toxicology Pr	ogram (NTP) R	eport on Carcinogens		
Not listed.				
Reproductive toxicity	This product i	is not expected to cause reproductive or de	evelopmental effects.	
Specific target organ toxicity - single exposure	Not classified	l.		
Specific target organ toxicity - repeated exposure	Not classified	l.		
Aspiration hazard	Not an aspira	ition hazard.		
Chronic effects	Prolonged inf	nalation may be harmful.		
12. Ecological information	n			
Ecotoxicity	Very toxic to	aquatic life with long lasting effects.		
Components		Species	Test Results	
ALCOHOLS, C9-11, ETHOX	YLATED (CAS 6	68439-46-3)		
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	2.9 - 8.5 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas))6 - 12 mg/l, 96 hours	
DIDECYL DIMETHYL AMMONIUM CHLORIDE (CAS 7173-51-5)				
Aquatic Fish	LC50	White sturgeon (Acipenser	0.001 - 0.01 mg/l, 96 hours	
	2000	transmontanus)		
Ethanol (CAS 64-17-5)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	7.7 - 11.2 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)		
	pounds, Benzyl-	c12-16-alkyldimethyl, Chlorides (CAS 6842	24-85-1)	
Aquatic				
<i>Acute</i> Crustacea	EC50	Daphnia magna	< 1 mg/l, 48 hours	
Bioaccumulative potential	ersistence and degradability No data is available on the degradability of any ingredients in the mixture.			
-	Partition coefficient n-octanol / water (log Kow)			
Mobility in soil	No data available.			
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
13. Disposal consideratio				
Disposal instructions		eclaim or dispose in sealed containers at lid	censed waste disposal site. Do not allow	
	this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulations	-	cordance with all applicable regulations.		

Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
14. Transport information		
DOT Not regulated as dangerous goods.		
ΙΑΤΑ		
Not regulated as dangerous goods. IMDG		
Not regulated as dangerous goods.		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.	
General information	Per IATA DGR Special Provision A197, IMDG Code 2.10.2.7, and 49 CFR § 171.4(c), this product, as packaged, is not regulated as a Marine Pollutant due to package size. Regulated as UN3082, Environmentally Hazardous Substance, Liquid, N.O.S., Class 9, Packing Group III if single or inner package size exceeds 5 liters and/or outer packaging exceeds 30kg.	
15. Regulatory information	1	
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
Toxic Substances Control Act (TSCA)		
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)		
Not regulated.		
CERCLA Hazardous Substance List (40 CFR 302.4)		
Ethanol (CAS 64-17-5) Listed. SARA 304 Emergency release notification		
Not regulated.		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not regulated.		
Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance		
Not listed.		
SARA 311/312 Hazardous chemical	Yes	
Classified hazard categories	Serious eye damage or eye irritation	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
-	112 Hazardous Air Pollutants (HAPs) List	
Not regulated.	112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.	Trz(1) Accidental Nelease Prevention (40 Cl N 00. 150)	
Safe Drinking Water Act (SDWA)	None known.	
	es Respiratory Health and Safety in the Flavor Manufacturing Workplace	
Ethanol (CAS 64-17-5) Low priority		
FIFRA Information	This chemical is a pesticide product registered by the Environmental Protection Agency and is	
	subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals	

workplace labels of non-pesticide chemicals.

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

16. Other information, including date of preparation or last revision

Issue date	13-November-2017
Revision date	07-March-2019
Version #	04
HMIS® ratings	Health: 1 Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 0 Instability: 0
NFPA ratings	
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Toxicological Information: Toxicological Data Transport Information: Agency Name, Packaging Type, and Transport Mode Selection Transport information: General information Regulatory information: Safe Drinking Water Act (SDWA)