

Safety Data Sheet Spartan Chemical Company, Inc.

1. PRODUCT AND COMPANY IDENTIFICATION

| Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against: | SUPER SPRAYBUFF 4450 Floor finish restorer For Industrial and Institutional Use Only |
|---|--|
| Manufacturer/Supplier: | Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com |
| 24 Hour Emergency Phone Number Medical Emergency/Information: Transportation/Spill/Leak: | s: 888-314-6171 CHEMTREC 800-424-9300 |
| | 2. HAZARDS IDENTIFICATION |
| GHS Classification Serious Eye Damage/Eye Irritation: | Category 2A |
| <u>GHS Label Elements</u> Signal Word: | Warning |
| Symbols: | |
| Hazard Statements: Precautionary Statements: | Causes serious eye irritation |
| Prevention: | Wash hands and any exposed skin thoroughly after handling. Wear eye / face protection |
| Response: -Eyes | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if |
| -Specific Treatment: | present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information. |
| Storage: Disposal: | Not Applicable Not Applicable |
| Hazards Not Otherwise Classified: | Not Applicable |
| Other Information: | May be harmful if swallowed May cause skin irritation. Inhalation of vapors or mist may cause respiratory irritation. Keep out of reach of children |

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-------------------------------------|-------------|----------|
| Water | 7732-18-5 | 40-70 |
| Naphtha (Petroleum), Heavy Alkylate | 64741-65-7 | 10-30 |
| Ethoxydiglycol | 111-90-0 | 1-5 |
| Ethylene/Acrylic Acid Copolymer | 9010-77-9 | 1-5 |
| C9-11 Pareth-6 | 68439-46-3 | 1-5 |
| Triethanolamine | 102-71-6 | 1-5 |
| Oleic Acid | 112-80-1 | 1-5 |
| Polyacrylic Acid | 9003-01-4 | 0.1-1 |
| Fragrance | PROPRIETARY | <0.1 |
| Methylchloroisothiazolinone | 26172-55-4 | <0.1 |
| Methylisothiazolinone | 2682-20-4 | <0.1 |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

| -Eye Contact: | Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and | | | |
|--|--|--|--|--|
| -Skin Contact: | easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical attention. | | | |
| -Inhalation: | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell. | | | |
| -Ingestion: | Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell. Treat symptomatically. | | | |
| Note to Physicians: | | | | |
| | 5. FIRE-FIGHTING MEASURES | | | |
| Suitable Extinguishing Media: | Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire | | | |
| Specific Hazards Arising from the Chemical: | Dried product is capable of burning. Combustion products are toxic. | | | |
| Hazardous Combustion Products: | s: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors. | | | |

| Protective Equipment and | Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full |
|-------------------------------|---|
| Precautions for Firefighters: | protective gear. Cool fire-exposed containers with water spray. |

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.Environmental Precautions:Do not rinse spill onto the ground, into storm sewers or bodies of water.Methods for Clean-Up:Prevent further leakage or spillage if safe to do so. Contain and collect spillage with
non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)
and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not breathe mist, vapors or spray. Do not

Storage Conditions:

eat, drink or smoke when using this product.

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

Suggested Shelf Life:

18 months from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH | |
|---------------------------------|--|---|-------|--|
| Triethanolamine 102-71-6 | TWA: 5mg/m ³ | - | - | |
| Engineering Controls: | | t, fumes, gas, vapors or mists w anal exposure limits, local exhau | | |
| Personal Protective Equipment | 5 | | | |
| Eye/Face Protection: | Wear splash goggles. | | | |
| Skin and Body Protection: | Not required with expected use. | | | |
| Respiratory Protection: | Not required with expected use | Э. | | |
| General Hygiene Considerations: | If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered. Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance. | | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

| A museum and /Dhyseinal States | Liquid |
|---------------------------------|------------------------------|
| Appearance/Physical State: | Liquid |
| Color: | White emulsion |
| Odor: | Floral fragrance |
| pH: | 8.0-9.0 |
| Melting Point / Freezing Point: | No information available |
| Boiling Point / Boiling Range: | 100 °C / 212 °F |
| Flash Point: | > 100 °C / > 212 °F ASTM D56 |
| Evaporation Rate: | < 1 (Butyl acetate = 1) |
| Flammability (solid, gas) | No information available |
| Upper Flammability Limit: | No information available |
| Lower Flammability Limit: | No information available |
| Vapor Pressure: | No information available |
| Vapor Density: | No information available |
| Specific Gravity: | 0.943 |
| Solubility(ies): | Miscible in water |
| Partition Coefficient: | No information available |
| Autoignition Temperature: | No information available |
| Decomposition Temperature: | No information available |
| Viscosity: | 2000 mm2/s |

10. STABILITY AND REACTIVITY

| Reactivity: | This material is considered to be non-reactive under normal conditions of use. |
|-------------------------------------|--|
| Chemical Stability: | Stable under normal conditions. |
| Possibility of Hazardous Reactions: | : Not expected to occur with normal handling and storage. |
| Conditions to Avoid: | Extremes of temperature and direct sunlight. |
| Incompatible Materials: | Strong oxidizing agents. Strong acids. |
| Hazardous Decomposition | May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors. |
| Products: | |

11. TOXICOLOGICAL INFORMATION

| Eyes, Skin, Ingestion, Inhalation. |
|--|
| Pain, redness, swelling of the conjunctiva and blurred vision. |
| Drying of the skin. Nasal discomfort and coughing. |
| Pain, nausea, vomiting and diarrhea. |
| Data not available or insufficient for classification. |
| |
| -Eyes. Respiratory SystemSkin. |
| ATE) are calculated based on the GHS document. |
| |

| ATEmix (oral): | 19276 mg/kg |
|--------------------------------|-------------|
| ATEmix (dermal): | 9640 mg/kg |
| ATEmix (inhalation-dust/mist): | 107.5 mg/l |

Component Acute Toxicity Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|---------------------|-----------------------|-----------------------|
| Water | > 90 mL/kg (Rat) | Not Available | Not Available |
| 7732-18-5 | | | |
| Naphtha (Petroleum), Heavy Alkylate 64741-65-7 | > 7000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 5.04 mg/L (Rat)4 h |
| Ethoxydiglycol 111-90-0 | = 10502 mg/kg (Rat) | = 9143 mg/kg (Rabbit) | > 5240 mg/m³ (Rat)4 h |
| C9-11 Pareth-6 68439-46-3 | = 1400 mg/kg(Rat) | Not Available | Not Available |
| Triethanolamine 102-71-6 | = 4190 mg/kg(Rat) | > 20 mL/kg (Rabbit) | Not Available |
| Oleic Acid 112-80-1 | = 25 g/kg (Rat) | Not Available | Not Available |
| Polyacrylic Acid 9003-01-4 | = 2500 mg/kg(Rat) | Not Available | Not Available |
| Methylchloroisothiazolinone 26172-55-4 | = 481 mg/kg (Rat) | Not Available | = 1.23 mg/L (Rat)4 h |

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA

12. ECOLOGICAL INFORMATION

| Chemical Name | Algae/Aquatic Plants | Fish | Toxicity to Microorganisms | Crustacea |
|--|---|--|-------------------------------|--|
| Naphtha (Petroleum), Heavy Alkylate 64741-65-7 | 30000: 72 h Pseudokirchneriella subcapitata mg/L EC50 | Not Available | Not Available | 2: 48 h Mysidopsis bahia mg/L LC50 |
| Ethoxydiglycol 111-90-0 | Not Available | 10000: 96 h Lepomis macrochirus mg/L LC50 static 19100 - 23900: 96 h Lepomis macrochirus mg/L LC50 flow-through 11400 - 15700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11600 - 16700: 96 h Pimephales promelas mg/L LC50 flow-through | Not Available | 3940 - 4670: 48 h Daphnia magna mg/L EC50 |
| Triethanolamine 102-71-6 | 216: 72 h Desmodesmus subspicatus mg/L EC50 169: 96 h Desmodesmus | 10600 - 13000: 96 h Pimephales promelas mg/L LC50 flow-through 1000: 96 | Not Available | Not Available |

4450 - SUPER SPRAYBUFF

| | subspicatus mg/L EC50 | h Pimephales promelas | | |
|-----------------------------|--------------------------|------------------------------|---------------|------------------------------|
| | | mg/L LC50 static 450 - 1000: | | |
| | | 96 h Lepomis macrochirus | | |
| | | mg/L LC50 static | | |
| Oleic Acid | Not Available | 205: 96 h Pimephales | Not Available | Not Available |
| 112-80-1 | | promelas mg/L LC50 static | | |
| Polyacrylic Acid | Not Available | 580: 96 h Lepomis | Not Available | Not Available |
| 9003-01-4 | | macrochirus mg/L LC50 | | |
| Methylchloroisothiazolinone | 0.11 - 0.16: 72 h | 1.6: 96 h Oncorhynchus | Not Available | 4.71: 48 h Daphnia magna |
| 26172-55-4 | Pseudokirchneriella | mykiss mg/L LC50 | | mg/L EC50 0.12 - 0.3: 48 h |
| | subcapitata mg/L EC50 | semi-static | | Daphnia magna mg/L EC50 |
| | static 0.03 - 0.13: 96 h | | | Flow through 0.71 - 0.99: 48 |
| | Pseudokirchneriella | | | h Daphnia magna mg/L |
| | subcapitata mg/L EC50 | | | EC50 Static |
| | static | | | |

| Persistence and Degradability: | No |
|--------------------------------|----|
| Bioaccumulation: | No |

No information available. No information available.

Other Adverse Effects:

No information available

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Contaminated Packaging: Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

| <u>DOT:</u> Proper Shipping Name: Special Provisions: | Not Regulated Non Hazardous Product Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation. |
|---|--|
| IMDG: | Not Regulated |
| Proper Shipping Name: | Non Hazardous Product |

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product contains the following listed substances:

Ethoxydiglycol

CAS No 111-90-0 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or SulfonateChemical Category N230

SARA 311/312 Hazard Categories

| Acute Health Hazard: | Yes |
|------------------------------------|-----|
| Chronic Health Hazard: | No |
| Fire Hazard: | No |
| Sudden release of pressure hazard: | No |
| Reactive Hazard: | No |

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

| 16. OTHER INFORMATION | | | | | | | |
|---|--|--------------------------------|--|---------------------------------------|--------------|--|--|
| NFPA HMIS | Health Hazards: 2 Health Hazards: 2 | Flammability: Flammability: | | Instability: 0 Physical Hazards: 0 | Special: N/A | | |
| Revision Date: Reasons for Revision: | 24-Jan-2022 Section, 9 | | | | | | |

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet