



Revision Date: 02-Dec-2025

Safety Data Sheet

Spartan Chemical Company, Inc.

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name: CLEAN ON THE GO AIRLIFT TROPICAL [13]
Product Code: 4710
Recommended Use: Air freshener
Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

24 Hour Emergency Phone

Numbers:
Medical Emergency/Information: 888-314-6171
Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation: Category 2
Serious eye damage/eye irritation: Category 1
Skin sensitization: Category 1
Flammable liquids: Category 3

Label elements

Signal word:

Symbols:

Danger



Hazard statements:

Causes serious eye damage
Causes skin irritation
May cause an allergic skin reaction
Flammable liquid and vapor

Physical hazards:

Precautionary Statements - Prevention:

Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing must not be allowed out of the workplace
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Keep container tightly closed
Ground and bond container and receiving equipment
Use explosion-proof electrical, ventilating and lighting equipment
Use non-sparking tools
Take action to prevent static discharges
Wear protective gloves/clothing and eye/face protection
Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements -**Response:****Eyes:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Skin:**-Specific Treatment:**

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Fire:

In case of fire: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage: Store in a well-ventilated place. Keep cool.

Precautionary Statements -

Dispose of contents and container in accordance with local, state and federal regulations.

Disposal:**Hazards not otherwise classified (HNOC):**

Not applicable

Other hazards:

- May be harmful if swallowed
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Water	7732-18-5	30-60
C9-11 Alcohols Ethoxylated	68439-46-3	10-30
Isopropyl Alcohol	67-63-0	5-10
Secondary Alcohol Ethoxylate	68131-40-8	1-5
Hexylene Glycol	107-41-5	1-5
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride	68424-85-1	1-5
Methyldihydrojasmonate	24851-98-7	1-5
Hexyl Salicylate	6259-76-3	0.1-1
Hexyl Acetate	142-92-7	0.1-1
Gamma-Undecalactone	104-67-6	0.1-1
2-T-Butylcyclohexyl Acetate	88-41-5	0.1-1
Linalool	78-70-6	0.1-1
Hexamethylindanopyran	1222-05-5	0.1-1
Fragrance	PROPRIETARY	0.1-1
Citronellol	106-22-9	0.1-1
Polyethylene Glycol	25322-68-3	0.1-1
Methylenedioxyphenyl Methylpropanal	1205-17-0	0.1-1
Ethylene Brassylate	105-95-3	0.1-1
Benzyl Acetate	140-11-4	0.1-1
3a,4,5,6,7,7a-Hexahydro-4,7-Methano-1H-Indenyl Acetate	54830-99-8	0.1-1
2,6-Dimethyl-7-Octen-2-ol	18479-58-8	0.1-1
4-Tert-Butylcyclohexyl Acetate	32210-23-4	<0.1
Hydroxycitronellal	107-75-5	<0.1
Eugenol	97-53-0	<0.1
Benzyl Benzoate	120-51-4	<0.1
Acid Red 52	3520-42-1	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Eye contact:

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

Skin contact:

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical attention.

Inhalation:	Wash contaminated clothing before reuse. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or physician if you feel unwell.
Ingestion:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
Note to physicians:	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Dry chemical. Water spray (fog). Alcohol resistant foam. Carbon dioxide. Move containers from fire area if you can do it without risk.
Specific Hazards Arising from the Chemical:	Vapors may travel to areas away from work site before igniting/flashing back to vapor source. Combustion products are toxic. Vapors may travel to areas away from work site before igniting/flashing back to vapor source.
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Remove all sources of ignition. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for cleaning up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on safe handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
Storage Conditions:	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep container tightly closed in a dry and well-ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol 67-63-0	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Hexylene Glycol 107-41-5	TWA: 25 ppm vapor fraction STEL: 50 ppm vapor fraction STEL: 10 mg/m ³ inhalable particulate matter, aerosol only	(vacated) Ceiling: 25 ppm (vacated) Ceiling: 125 mg/m ³	Ceiling: 25 ppm Ceiling: 125 mg/m ³
Benzyl Acetate 140-11-4	TWA: 10 ppm	-	-

Engineering Controls:	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.
------------------------------	---

Individual protection measures, such as personal protective equipment

Eye/face protection:	Wear splash goggles.
Skin and body protection:	Wear rubber or other chemical-resistant gloves.
Respiratory protection:	Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.
General hygiene considerations:	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state:	Liquid
Color:	Pink
Odor:	Tropical floral fragrance
Odor Threshold:	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH:	6.0-7.0	
Melting Point / Freezing Point:	No data available	
Boiling Point / Boiling Range:	93 °C / 199 °F	
Flash Point:	41 °C / 106 °F	ASTM D56
Evaporation Rate:	< 1	(Butyl acetate = 1)
Flammability (solid, gas):	No data available	No information available
Flammability Limits in Air:		No information available
Upper Flammability Limit:	No data available	
Lower Flammability Limit:	No data available	
Vapor Pressure:	No data available	No information available
Vapor Density:	No data available	No information available
Relative Density:	0.99	
Solubility(ies):	Soluble in water	
Partition Coefficient:	No data available	No information available
Autoignition Temperature:	Not applicable	
Decomposition Temperature:	Not applicable	
Kinematic Viscosity:	No information available	No information available
Particle characteristics:	Not applicable	

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight
Incompatible materials:	Strong oxidizing agents. Strong acids.
Hazardous decomposition products:	May include carbon monoxide, carbon dioxide (CO ₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:	
Eye contact:	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.
Skin contact:	Pain, redness and cracking of the skin. May cause sensitization by skin contact.
Inhalation:	Nasal discomfort and coughing.
Ingestion:	Pain, nausea, vomiting and diarrhea. Ingestion may cause irritation to mucous membranes.

Immediate, Delayed, Chronic Effects

Product Information:	Data not available or insufficient for classification.
Target organ effects:	Eyes. Respiratory system. Skin. Central nervous system.

Acute toxicity**Numerical measures of toxicity:**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,949.10 mg/kg
ATEmix (dermal)	22,230.60 mg/kg
ATEmix (inhalation-vapor)	256.20 mg/l

Component Information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
C9-11 Alcohols Ethoxylated 68439-46-3	= 1400 mg/kg (Rat)	-	-
Isopropyl Alcohol 67-63-0	4710 - 5840 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h
Secondary Alcohol Ethoxylate 68131-40-8	= 2100 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Hexylene Glycol 107-41-5	= 3700 mg/kg (Rat)	= 12300 mg/kg (Rabbit)	> 310 mg/m ³ (Rat) 1 h
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride 68424-85-1	= 358 mg/kg (Rat)	= 2730 mg/kg (Rabbit)	-
Methyldihydrojasmonate 24851-98-7	> 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	> 4.93 mg/L (Rat) 4 h
Hexyl Salicylate 6259-76-3	> 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Hexyl Acetate 142-92-7	= 42 g/kg (Rat)	> 5 g/kg (Rabbit)	-
Gamma-Undecalactone 104-67-6	= 18500 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
2-T-Butylcyclohexyl Acetate 88-41-5	= 4600 mg/kg (Rat)	-	-
Linalool 78-70-6	= 2790 mg/kg (Rat)	= 5610 mg/kg (Rabbit)	-
Hexamethylindanopyran 1222-05-5	> 3250 mg/kg (Rat)	> 3250 mg/kg (Rabbit)	> 5.04 mg/L (Rat) 4 h
Citronellol 106-22-9	= 3450 mg/kg (Rat)	= 2650 mg/kg (Rabbit)	-
Polyethylene Glycol 25322-68-3	= 22 g/kg (Rat)	> 20 g/kg (Rabbit)	-
Methylenedioxyphenyl Methylpropanal 1205-17-0	-	> 2000 mg/kg (Rabbit)	-
Ethylene Brassylate 105-95-3	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Benzyl Acetate 140-11-4	= 2490 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
2,6-Dimethyl-7-Octen-2-ol 18479-58-8	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
4-Tert-Butylcyclohexyl Acetate 32210-23-4	= 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Hydroxycitronellal 107-75-5	> 6400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Eugenol 97-53-0	= 1930 mg/kg (Rat)	-	> 2.58 mg/L (Rat) 4 h
Benzyl Benzoate 120-51-4	> 2000 mg/kg (Rat)	= 4000 mg/kg (Rabbit)	-

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	EC50: >1000mg/L (96h, <i>Desmodesmus subspicatus</i>) EC50: >1000mg/L (72h, <i>Desmodesmus subspicatus</i>)	LC50: =9640mg/L (96h, <i>Pimephales promelas</i>) LC50: =11130mg/L (96h, <i>Pimephales promelas</i>) LC50: >1400000µg/L (96h, <i>Lepomis macrochirus</i>)	-	EC50: =13299mg/L (48h, <i>Daphnia magna</i>)
Hexylene Glycol 107-41-5	-	LC50: 10500 - 11000mg/L (96h, <i>Pimephales promelas</i>) LC50: =10000mg/L (96h, <i>Lepomis macrochirus</i>) LC50: =8690mg/L (96h, <i>Pimephales promelas</i>) LC50: =10700mg/L (96h, <i>Pimephales promelas</i>)	-	EC50: 2700 - 3700mg/L (48h, <i>Daphnia magna</i>)
Methyl dihydrojasmonate 24851-98-7	-	LC50: =19mg/L (96h, <i>Oryzias latipes</i>)	-	-
Hexyl Acetate 142-92-7	-	LC50: 3.7 - 4.4mg/L (96h, <i>Pimephales promelas</i>)	-	-
Linalool 78-70-6	EC50: =88.3mg/L (96h, <i>Desmodesmus subspicatus</i>)	LC50: =27.8mg/L (96h, <i>Oncorhynchus mykiss</i>)	-	EC50: =20mg/L (48h, <i>Daphnia magna</i>)
4-Tert-Butylcyclohexyl Acetate 32210-23-4	-	LC50: =8.6mg/L (96h, <i>Cyprinus carpio</i>)	-	-
Eugenol 97-53-0	-	LC50: =13mg/L (96h, <i>Danio rerio</i>)	-	-
Benzyl Benzoate 120-51-4	-	LC50: =2.32mg/L (96h, <i>Danio rerio</i>)	-	-

Persistence and Degradability:

No information available.

Bioaccumulation:

No information available.

Mobility in Soil:

No information available

Other adverse effects:

No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products:

Dispose of in accordance with federal, state and local regulations.

Contaminated packaging:

Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

UN/ID No:

UN1993

Proper Shipping Name:

Flammable liquids, n.o.s., (Isopropanol)

Hazard Class:

3

Packing Group:

III

Special Provisions:

Class 3, Packing Group III materials meet the exception requirements of section 49 CFR 173.150 when individual containers of not more than 1.3 gallons are packed in a strong outer packaging and ground transportation is utilized. Such containers may be reclassified as "Limited Quantity".

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG:

UN number or ID number: UN1993
Proper Shipping Name: Flammable liquids, n.o.s., (Isopropanol)
Hazard Class: 3
Packing Group: III

15. REGULATORY INFORMATION

TSCA (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute health hazard:	Yes
Chronic Health Hazard:	No
Fire hazard:	Yes
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA	Health hazards: 2	Flammability: 2	Instability: 0	Special hazards: -
HMIS	Health hazards: 2*	Flammability: 2	Physical hazards: 0	

Revision Date: 02-Dec-2025
Revision Note: Section, 2, 3, 5, 7, 9, 11, 12

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet