

Version 1.4	SDS Number: 400000000188	Revision Date: 10/24/2022		
SECTION 1. IDENTIFICATION				
Product name	: GOJO® Luxury Foam Antibacte	rial Handwash		
Manufacturer or supplier's details				
Company name of supplier Address	 GOJO Industries, Inc. One GOJO Plaza, Suite 500 Akron, Ohio 44311 			
Telephone	: 1 (330) 255-6000			
Emergency telephone number	: CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887:	Outside USA & CANADA		

Recommended use of the chemical and restrictions on use

Recommended use Restrictions on use	 Antibacterial Soap This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer.
	While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	
Flammable liquids	: Category 3
Serious eye damage	: Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H226 Flammable liquid and vapour. H318 Causes serious eye damage.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed.



SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 1 - < 5
Ammonium Laureth Sulfate	67762-19-0	>= 1 - < 5
Ammonium Lauryl Sulfate	2235-54-3	>= 1 - < 5
Propylene Glycol	57-55-6	>= 1 - < 5
Chloroxylenol	88-04-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Get medical attention if irritation develops and persists.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	: If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes serious eye damage.
Protection of first-aiders	 First Aid responders should pay attention to self-protection and use the recommended protective clothing



 Version 1.4
 SDS Number: 40000000188
 Revision Date: 10/24/2022

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides Sulphur oxides Nitrogen oxides (NOx)
Hazardous combustion products	:	Carbon oxides Sulphur oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information Special protective equipment for firefighters		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.



 Version 1.4
 SDS Number: 40000000188
 Revision Date: 10/24/2022

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Keep away from heat. Use with local exhaust ventilation. Avoid contact with eyes.
Conditions for safe storage	 Take measures to prevent the build up of electrostatic charge. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well- ventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propylene Glycol	57-55-6	TWA	10 mg/m3	US WEEL

Personal protective equipment

Respiratory protection	: No personal respiratory protective equipment normally required.
Hand protection	
Remarks	: No special protective equipment required.
Eye protection	: Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	 No special measures necessary provided product is used correctly.
Protective measures	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
	Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	 Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	: liquid : clear, translucent, yellow-orange, amber : like fruit : No data available
рН	: 4.5 - 8.5, (20 °C)
Melting point/freezing point	: No data available



Version 1.4	SDS Number: 400000000188	Revision Date: 10/24/2022
Initial boiling point and boiling	: 83.00 °C	
range Flash point	: 59.89 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Flammability (liquids)	: Does not sustain combustion.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.9962 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: No data available	
Thermal decomposition	: The substance or mixture is not	classified self-reactive.
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is not	classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	 Not classified as a reactivity hazard. Stable under normal conditions. Vapours may form explosive mixture with air.
Conditions to avoid Incompatible materials Hazardous decomposition products	 Heat, flames and sparks. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Eye contact Skin contact



sion 1.4	SDS Number: 400000000188	Revision Date: 10/24/202
Acute toxicity Not classified based on avail	able information.	
<u>Product:</u> Acute oral toxicity	: Acute toxicity estimate : > 5,000 Method: Calculation method) mg/kg
Components: Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour	
Ammonium Laureth Sulfate Acute oral toxicity	e: : LD50 (Rat): 4,100 mg/kg Method: OECD Test Guideline 4 Remarks: Based on data from s	
Acute dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 4 Assessment: The substance or toxicity Remarks: Based on data from s 	mixture has no acute derma
Ammonium Lauryl Sulfate: Acute oral toxicity	: LD50 (Rat): 2,000 mg/kg Method: EC Directive 92/69/EE Remarks: Based on data from s	
Propylene Glycol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rabbit): > 159 mg/l, > 51 Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or inhalation toxicity	
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or toxicity	mixture has no acute derma
Chloroxylenol: Acute oral toxicity	: Acute toxicity estimate : 500 mg Method: Expert judgement Remarks: Based on harmonised on 1272/2008, Annex VI	-
Acute inhalation toxicity	: LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist	
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg	



Version 1.4

SDS Number: 40000000188

Revision Date: 10/24/2022

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Ammonium Laureth Sulfate:

Species: Rabbit Method: OECD Test Guideline 404 Result: Skin irritation Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Species: Rabbit Method: OECD Test Guideline 404 Result: Skin irritation

Propylene Glycol:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Chloroxylenol:

Result: Skin irritation Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Ammonium Laureth Sulfate:

Species: Rabbit Result: Irreversible effects on the eye Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405

Propylene Glycol:

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

Chloroxylenol:

Result: Irreversible effects on the eye



Version 1.4

SDS Number: 40000000188

Revision Date: 10/24/2022

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Product:

Result: Does not cause skin sensitisation.

Components:

Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Ammonium Laureth Sulfate:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Propylene Glycol:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

Chloroxylenol:

Assessment: Probability or evidence of skin sensitisation in humans Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethyl Alcohol: Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative
Ammonium Laureth Sulfate: Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471



Version 1.4	SDS Number: 400000000188	Revision Date: 10/24/2022
	Result: negative Remarks: Based on data from s : Test Type: In vitro mammalian of Method: OECD Test Guideline 4 Result: negative	ell gene mutation test
	Remarks: Based on data from s	imilar materials
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo cytogenetic test, chromosomal a Test species: Mouse Application Route: Ingestion Method: OECD Test Guideline 4 Result: negative Remarks: Based on data from s	analysis) 175
Ammonium Lauryl Sulfate: Genotoxicity in vitro	: Test Type: In vitro mammalian o Result: negative Remarks: Based on data from s	-
Genotoxicity in vivo	: Test Type: Mammalian erythroc cytogenetic assay) Test species: Mouse Application Route: Ingestion Method: OECD Test Guideline 4 Result: negative Remarks: Based on data from s	174
Propylene Glycol:		
Genotoxicity in vitro	: Test Type: Bacterial reverse mu Result: negative	tation assay (AMES)
Genotoxicity in vivo	: Test Type: In vivo micronucleus Test species: Mouse Application Route: Intraperitone Result: negative	
Chloroxylenol: Genotoxicity in vitro	: Test Type: Bacterial reverse mu Result: negative	tation assay (AMES)
Carcinogenicity Not classified based on availa	ble information.	

Components:

Ammonium Lauryl Sulfate: Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative Remarks: Based on data from similar materials

Propylene Glycol:

Species: Rat



Version 1.4	S	DS Number: 400000000188	Revision Date: 10/24/2022
Application Route: Ingestion Exposure time: 2 Years Result: negative			
IARC	ec	o component of this product present qual to 0.1% is identified as probable uman carcinogen by IARC.	
OSHA	ec	o component of this product present qual to 0.1% is identified as a carcino arcinogen by OSHA.	
NTP	ec	o component of this product present qual to 0.1% is identified as a known / NTP.	
Reproductive toxicity Not classified based on availal	ble	information.	
Components:			
Ethyl Alcohol:			
Effects on fertility	:	Test Type: Two-generation reprodu Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative	
Ammonium Laureth Sulfate:	:		
Effects on fertility	:	Test Type: Two-generation reprodu Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from simil	
Effects on foetal development	:	Test Type: Two-generation reprodu Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from simil	
Ammonium Lauryl Sulfate:			
Effects on foetal development	:	Test Type: Embryo-foetal developm Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from simil	
Propylene Glycol:			
Effects on fertility	:	Species: Mouse Application Route: Ingestion Result: negative	
Effects on foetal development	:	Test Type: Embryo-foetal developm Species: Mouse Application Route: Ingestion Result: negative	nent



Version 1.4

SDS Number: 40000000188

Revision Date: 10/24/2022

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Ammonium Laureth Sulfate:

Species: Rat NOAEL: > 225 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

Propylene Glycol:

Species: Rat NOAEL: 1,700 mg/kg Application Route: Ingestion Exposure time: 2 y

Chloroxylenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Components:</u> Ethyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201



sion 1.4	SDS Number: 40000000188 Revision Date: 10/24/2
aquatic invertebrates	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
(Chronic toxicity) Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Ammonium Laureth Sulfate: Toxicity to fish	 LC50 (Danio rerio (zebra fish)): 7.1 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna (Water flea)): 7.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae	 ErC50 (Desmodesmus subspicatus (green algae)): 27.7 m Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	NOEC (Desmodesmus subspicatus (green algae)): 0.95 m Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	 NOEC (Oncorhynchus mykiss (rainbow trout)): 0.14 mg/l Exposure time: 28 d Method: OECD Test Guideline 204 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.27 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to bacteria	 EC10 (Pseudomonas putida): > 10 g/l Exposure time: 16 h Method: DIN 38 412 Part 8 Remarks: Based on data from similar materials
Ammonium Lauryl Sulfate: Toxicity to fish	 LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna (Water flea)): 4.7 mg/l Exposure time: 48 h Method: Tested according to Directive 92/69/EEC. Remarks: Based on data from similar materials
Toxicity to algae	 ErC50 (Desmodesmus subspicatus (green algae)): > 20 m Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials



Version 1.4	SDS Number: 400000000188	Revision Date: 10/24/2022
	EC10 (Desmodesmus subspicatu Exposure time: 72 h Method: Directive 67/548/EEC, A Remarks: Based on data from sin	nnex V, C.3.
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia Dubia (wate Exposure time: 7 d Remarks: Based on data from sin	
Toxicity to bacteria	: EC0 (Pseudomonas putida): 409 Exposure time: 16 h Method: DIN 38 412 Part 8 Remarks: Based on data from sin	-
Propylene Glycol: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rair Exposure time: 96 h	1bow trout)): 40,613 mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia Dubia (water Exposure time: 48 h	[.] flea)): 18,340 mg/l
Toxicity to algae	: EC50 (Skeletonema costatum (m Exposure time: 48 h Method: OECD Test Guideline 20	
Toxicity to fish (Chronic toxicity)	: Chronic Toxicity Value: 2,500 mg/ Exposure time: 30 d	Ί
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia Dubia (wate Exposure time: 7 d	er flea)): 29,000 mg/l
Toxicity to bacteria	: NOEC (Pseudomonas putida): > 2 Exposure time: 18 h	20,000 mg/l
Chloroxylenol:		
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rair Exposure time: 96 h	ibow trout)): 0.76 mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water fle Exposure time: 48 h	a)): 7.7 mg/l
M-Factor (Acute aquatic toxicity)	: 1	
Persistence and degradabili	у	
Components:		
Ethyl Alcohol: Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d	
Ammonium Laureth Sulfate: Biodegradability	: Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 28 d Method: Directive 67/548/EEC An	inex V, C.4.C.



sion 1.4	DS Number: 400000000188	Revision Date: 10/24/202
	Remarks: Based on data from	n similar materials
Ammonium Lauryl Sulfate: Biodegradability	Result: Readily biodegradable Biodegradation: 75.7 % Exposure time: 28 d Method: OECD Test Guidelin Remarks: Based on data from	e 301B
Propylene Glycol: Biodegradability	Result: Readily biodegradable Biodegradation: 98.3 % Exposure time: 28 d Method: OECD Test Guidelin	
Bioaccumulative potential		
<u>Components:</u>		
Ethyl Alcohol: Partition coefficient: n- octanol/water Ammonium Laureth Sulfate:	log Pow: -0.35	
	log Pow: 0.3	
	log Pow: 0.8 - 0.91	
	: log Pow: -1.07	
	: log Pow: 3.27	
Mobility in soil No data available		
Other adverse effects No data available		
<u>Product:</u> Regulation	40 CFR Protection of Environ Stratospheric Ozone - CAA S	ment; Part 82 Protection of Section 602 Class I Substances
Remarks		, nor was manufactured with a fined by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues Contaminated packaging	 Dispose of in accordance with local regulations. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.



Version 1.4

SDS Number: 40000000188

Revision Date: 10/24/2022

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol 64-17-5 4.405 % Propylene Glycol 57-55-6 2 % This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

California Prop 65	This product does not require a warning label under California
	Proposition 65.

The components of this product are reported in the following inventories:

TSCA	: On TSCA Inventory
AICS	: On the inventory, or in compliance with the inventory
DSL	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory




Version 1.4	SDS Number: 40000000188	Revision Date: 10/24/2022
ISHL	: On the inventory, or in compliance	with the inventory
KECI	: On the inventory, or in compliance	with the inventory
PICCS	: On the inventory, or in compliance	with the inventory
IECSC	: On the inventory, or in compliance	with the inventory
NZIoC	: On the inventory, or in compliance	with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION



Further information

Revision Date

: 10/24/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.