

SAFETY DATA SHEET

Issuing Date: 03-Dec-2015 Revision Date: 14-May-2018 Version 1.02

1. IDENTIFICATION

Product Name P&G PRO LINE HEAVY DUTY FLOOR STRIPPER ULTRA CONCENTRATE

Product Code(s) 4-09

Product Identifier 97462892_PROF_NG

Product Type: Finished Product - Professional Use Only

Recommended Use Floor Care.

Details of the supplier of the safety

data sheet

Procter & Gamble Professional

1 P&G Plaza

Cincinnati, Ohio 45202

Procter & Gamble Inc. P.O. Box 355, Station A Toronto, ON M5W 1C5

1-800-332-7787

E-mail Address pgsds.im@pg.com

Emergency Telephone Transportation (24 HR)

CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

2. HAZARD IDENTIFICATION

This product is classified under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

Hazard Category

Skin corrosion/irritation Category 1
Eye Damage / Irritation Category 1
Corrosive to metals Category 1
Signal Word DANGER

Hazard Statements Causes severe skin burns and eye damage

May be corrosive to metals

Hazard pictograms



Precautionary Statements Do not breathe mist

Wash hands thoroughly after handling

p80

Use with ventilation.

Keep only in original container

Precautionary Statements -

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

Revision Date: 14-May-2018

with water/shower

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Drink 1 or 2 glasses of water

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage Store in corrosive resistant container

Precautionary Statements - Disposal Dispose of contents/container in accordance with local regulation

Hazards not otherwise classified

(HNOC)

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

| Chemical Name | Synonyms | Trade Secret | CAS-No | Weight-% |
|--|--|--------------|------------|-----------|
| 2-Aminoethanol | Ethanol, 2-amino- | Yes | 141-43-5 | 7 - 13 |
| Benzyl alcohol | Benzenemethanol | Yes | 100-51-6 | 5 - 10 |
| Sodium hydroxide | Sodium hydroxide (Na(OH)) | Yes | 1310-73-2 | 1 - 5 |
| Benzenesulfonic acid, dimethyl-, sodium salt (1:1) | Benzenesulfonic acid, dimethyl-, sodium salt (1:1) | Yes | 1300-72-7 | 1 - 5 |
| Ethoxydiglycol | Ethoxydiglycol | Yes | 111-90-0 | 1 - 5 |
| Ethanol | Ethanol | Yes | 64-17-5 | 1 - 5 |
| Alcohols, C9-11, ethoxylated | Alcohols, C9-11, ethoxylated | Yes | 68439-46-3 | 0.5 - 1.5 |

Additional information Actual concentrations withheld as trade secret in accordance with Canadian HPR

4. FIRST AID MEASURES

First aid measures for different exposure routes

Eye contact Rinse with plenty of water. Call a physician immediately.

Skin contact Rinse with plenty of water. Get medical attention if irritation develops and persists.

Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if

symptoms occur.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician or poison control center immediately.

Most important symptoms/effects,

acute and delayed

None under normal use conditions.

F. Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Dry chemical, CO₂, alcohol-resistant foam or water spray.

Unsuitable Extinguishing Media None.

Special hazard None known.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

Revision Date: 14-May-2018

(approved or equivalent) and full protective gear.

Specific hazards arising from the

chemical

None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Advice for emergency responders Use personal protective equipment as required.

Methods and materials for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand,

earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Never return spills in original containers for re-use. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible products None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | CAS-No | ACGIH TLV | OSHA PEL | Mexico PEL |
|------------------|-----------|------------------------------|--|-------------------------------------|
| 2-Aminoethanol | 141-43-5 | STEL: 6 ppm | TWA: 3 ppm | Mexico: TWA 3 ppm |
| | | TWA: 3 ppm | TWA: 6 mg/m ³ | Mexico: TWA 8 mg/m ³ |
| | | | (vacated) TWA: 3 ppm | Mexico: STEL 6 ppm |
| | | | (vacated) TWA: 8 mg/m ³ | Mexico: STEL 15 mg/m ³ |
| | | | (vacated) STEL: 6 ppm | |
| | | | (vacated) STEL: 15 mg/m ³ | |
| Sodium hydroxide | 1310-73-2 | Ceiling: 2 mg/m ³ | TWA: 2 mg/m ³ | Mexico: Ceiling 2 mg/m ³ |
| | | | (vacated) Ceiling: 2 mg/m ³ | |
| Ethanol | 64-17-5 | STEL: 1000 ppm | TWA: 1000 ppm | Mexico: TWA 1000 ppm |

| | | TWA: 1900 mg/m ³ | Mexico: TWA 1900 mg/m ³ |
|--|--|-----------------------------|------------------------------------|
| | | (vacated) TWA: 1000 ppm | _ |
| | | (vacated) TWA: 1900 | |
| | | mg/m³ | |

| Chemical Name | CAS-No | Alberta | Quebec | Ontario TWAEV | British Columbia |
|------------------|-----------|------------------------------|------------------------------|----------------------------|------------------------------|
| 2-Aminoethanol | 141-43-5 | TWA: 3 ppm | TWA: 3 ppm | TWA: 3 ppm | TWA: 3 ppm |
| | | TWA: 7.5 mg/m ³ | TWA: 7.5 mg/m ³ | STEL: 6 ppm | STEL: 6 ppm |
| | | STEL: 6 ppm | STEL: 6 ppm | | |
| | | STEL: 15 mg/m ³ | STEL: 15 mg/m ³ | | |
| Sodium hydroxide | 1310-73-2 | Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ | CEV: 2 mg/m ³ | Ceiling: 2 mg/m ³ |
| Ethoxydiglycol | 111-90-0 | | | TWA: 30 ppm | |
| | | | | TWA: 165 mg/m ³ | |
| Ethanol | 64-17-5 | TWA: 1000 ppm | TWA: 1000 ppm | STEL: 1000 ppm | STEL: 1000 ppm |
| | | TWA: 1880 mg/m ³ | TWA: 1880 mg/m ³ | | |

No relevant exposure guidelines for other ingredients

Exposure controls

Engineering Measures Distribution, Workplace and Household Settings:

Ensure adequate ventilation

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Revision Date: 14-May-2018

Where reasonably practicable this should be achieved by the use of local exhaust

ventilation and good general extraction

Personal Protective Equipment

Eye Protection Distribution, Workplace and Household Settings:

Requires Eye Protection

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Wear safety glasses with side shields (or goggles)

If splashes are likely to occur, wear:

Tight sealing safety goggles

Hand Protection Distribution, Workplace and Household Settings:

Protective gloves

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Protective gloves

Skin and Body Protection Distribution, Workplace and Household Settings:

Wear suitable protective clothing

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Wear suitable protective clothing

Respiratory Protection Distribution, Workplace and Household Settings:

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

In case of inadequate ventilation wear respiratory protection

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C

Appearance

Liquid

Clear light yellow

Odor Aromatic, sweet

Odor threshold No information available

Property Values Note

pH value 13.0 - 14.0

Melting Point / Freezing PointNo information availableBoiling point / boiling rangeNo information availableFlash point160 °C / 320 °F

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limit
Lower Flammability Limit
Vapor pressure
Vapor density
Relative density
Water solubility
No information available
Partition coefficient: n-octanol/waterNo information available

Autoignition temperature No information available No information available

Viscosity No information available

VOC Content (%) Products comply with US state and federal regulations for VOC content in consumer

products.

10. STABILITY AND REACTIVITY

Revision Date: 14-May-2018

Reactivity None under normal use conditions.

Stability Stable under normal conditions.

Hazardous polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

Conditions to Avoid None under normal processing.

Incompatible materials None in particular.

Hazardous Decomposition Products None under normal use conditions.

11. TOXICOLOGICAL INFORMATION

Product Information

Information on likely routes of exposure

InhalationNo known effect.Skin contactMay cause burns.IngestionNo known effect.

Eye contact Risk of serious damage to eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity

No known effect.

Skin corrosion/irritation

No known effect.

Causes severe burns.

Serious eye damage/eye irritation Risk of serious damage to eyes.

Skin sensitization
Respiratory sensitization
Germ cell mutagenicity
No known effect.

STOT - single exposure No known effect. STOT - repeated exposure No known effect. **Target Organ Effects** No known effect. No known effect. Aspiration hazard Carcinogenicity No known effect.

Component Information

| Chemical Name | CAS-No | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------------------------|-----------|-----------------------|-------------------------|------------------|
| 2-Aminoethanol | 141-43-5 | 1089 mg/kg bw (//OECD | - | - |
| | | 401) | | |
| Benzyl alcohol | 100-51-6 | 1620 mg/kg (rat) | - | 11 mg/l/4h (rat) |
| Benzenesulfonic acid, dimethyl-, | 1300-72-7 | > 7000 mg/kg bw (OECD | > 2000 mg/kg bw (//OECD | > 6.41 mg/L air |
| sodium salt (1:1) | | 401) | 402) | _ |

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not expected to be hazardous to the environment.

Persistence and degradability No information available.

Bioaccumulative potential No information available.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Products covered by this SDS, in their original form, when disposed as waste, are corrosive hazardous waste, D002, according to Federal RCRA regulations (40 CFR 261). Disposal

Revision Date: 14-May-2018

should be in accordance with local, state and federal regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Codes 331

(non-household setting)

14. TRANSPORT INFORMATION

DOT

UN no UN1760

UN Proper shipping name Corrosive liquid, n.o.s

Description UN1760, Corrosive liquid, n.o.s (2-Aminoethanol, Sodium hydroxide), 8, II, RQ

Hazard Class

Packing Group Ш

Reportable Quantity (RQ) Sodium hydroxide: RQ kg= 9080.00

B2, IB2, TII, TP2, TP27 **Special Provisions**

Packaging Exceptions 154 **Bulk packaging** 242 Non-bulk Packaging 202 **Emergency Response Guide** 154

Number

IMDG

UN1760 **UN Number**

UN Proper shipping name Corrosive liquid, n.o.s.

Description UN1760, Corrosive liquid, n.o.s. (2-Aminoethanol, Sodium hydroxide), 8, II

Revision Date: 14-May-2018

Transport hazard class(es) 8
Packing Group II
Special precautions for user 274
EmS-No F-A, S-B

<u>IATA</u>

UN no UN1760

UN Proper shipping name Corrosive liquid, n.o.s.

Description UN1760, Corrosive liquid, n.o.s. (2-Aminoethanol, Sodium hydroxide), 8, II

Hazard Class 8
Packing Group II
ERG Code 8L
Special precautions for user A3, A803

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):.

| Chemical Name | CAS-No | Hazardous Substances RQs | Extremely Hazardous Substances RQs | CERCLA/SARA 302 TPQ |
|------------------|-----------|-----------------------------|------------------------------------|------------------------|
| Sodium hydroxide | 1310-73-2 | 1000 lb | - | |

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):.

| Ch | nemical Name | CAS-No | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----|----------------|-----------|--------------------------------|---------------------------|------------------------------|-------------------------------|
| Soc | dium hydroxide | 1310-73-2 | 1000 lb | - | - | X |

California Proposition 65

This product is not subject to warning labeling under California Proposition 65.

U.S. State Regulations (RTK)

 Chemical Name
 CAS-No
 New Jersey

 2-Aminoethanol
 141-43-5
 X

 Sodium hydroxide
 1310-73-2
 X

 Ethanol
 64-17-5
 X

| Chemical Name | CAS-No | Massachusetts |
|------------------|-----------|---------------|
| 2-Aminoethanol | 141-43-5 | X |
| Benzyl alcohol | 100-51-6 | X |
| Sodium hydroxide | 1310-73-2 | X |

| | I | |
|---------|---------|---|
| Ethanol | 64-17-5 | X |

Revision Date: 14-May-2018

| Chemical Name | CAS-No | Pennsylvania |
|------------------|-----------|--------------|
| 2-Aminoethanol | 141-43-5 | X |
| Benzyl alcohol | 100-51-6 | X |
| Sodium hydroxide | 1310-73-2 | X |
| Ethanol | 64-17-5 | X |

| Chemical Name | CAS-No | Rhode Island |
|------------------|-----------|--------------|
| Sodium hydroxide | 1310-73-2 | X |

International Inventories

United States

All intentionally-added components of this product(s) are listed on the US TSCA Inventory.

Canada

This product is in compliance with CEPA for import by P&G.

Legend

United States Toxic Substances Control Act Section 8(b) Inventory (TSCA)

CEPA - Canadian Environmental Protection Act

16. OTHER INFORMATION

 Issuing Date:
 03-Dec-2015

 Revision Date:
 14-May-2018

Disclaimer.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS