according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional™ Carpet Pre-Spray and Bonnet Cleaner

Version 1.0 Print Date 12/21/2016

Revision Date 06/13/2016 SDS Number 350000030339

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Product name : SC Johnson Professional™ Carpet Pre-Spray and Bonnet

Cleaner

Recommended use : concentrate

Manufacturer, importer, : S.C. Johnson & Son, Inc.

**supplier** 1525 Howe Street

Racine WI 53403-2236

**Telephone** : +18005585252

**Emergency telephone**: 24 Hour Medical Emergency Phone: (866)231-5406

**number** 24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

## 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Clobally Harmonized Cyster	in (Onlo) Olassinication	
Hazard classification	Hazard category	Hazards identification
Serious eye damage/eye	Category 2B	
irritation		

#### Labelling

#### **Hazard statements**

Causes eye irritation.

#### **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

Wash hands thoroughly after handling.

Other hazards : None identified

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional™ Carpet Pre-Spray and Bonnet Cleaner

Version 1.0 Print Date 12/21/2016

Revision Date 06/13/2016 SDS Number 350000030339

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Tripropylene Glycol Methyl Ether	25498-49-1	1.00 - 5.00
SODIUM THIOSULFATE	7772-98-7	1.00 - 5.00
Sodium xylene sulfonate	1300-72-7	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

#### 4. FIRST AID MEASURES

**Eye contact** : No special requirements

**Skin contact** : No special requirements

**Inhalation** : No special requirements.

**Ingestion** : No special requirements

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Container may melt and leak in heat of fire.

**Further information** : Fight fire with normal precautions from a reasonable distance.

Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional™ Carpet Pre-Spray and Bonnet Cleaner

Version 1.0 Print Date 12/21/2016

Revision Date 06/13/2016 SDS Number 350000030339

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** : Wash thoroughly after handling.

Environmental precautions

Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

Dike large spills.

Clean residue from spill site.

#### 7. HANDLING AND STORAGE

Handling

**Precautions for safe** 

handling

: Avoid contact with skin, eyes and clothing.

For personal protection see section 8. Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

**Storage** 

Requirements for storage :

areas and containers

Keep container closed when not in use.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Occupational Exposure Limits**

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

#### Personal protective equipment

**Respiratory protection** : No special requirements.

**Hand protection** : No special requirements.

**Eye protection** : No special requirements.

**Skin and body protection** : No special requirements.

3/12

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional™ Carpet Pre-Spray and Bonnet Cleaner

Version 1.0 Print Date 12/21/2016

Revision Date 06/13/2016 SDS Number 350000030339

: Handle in accordance with good industrial hygiene and safety Hygiene measures

practice. Wash thoroughly after handling.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color colourless

Odor Marine/Ozone

**Odour Threshold** : Test not applicable for this product type

pН : 9.5

Melting point/freezing point : 32 °F

Initial boiling point and

boiling range

: 100 °C

Flash point : does not flash

**Evaporation rate** : Test not applicable for this product type

Flammability (solid, gas) : The product is not flammable.

explosive limits

Upper/lower flammability or : Test not applicable for this product type

Vapour pressure : similar to water

Vapour density : Test not applicable for this product type

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional™ Carpet Pre-Spray and Bonnet Cleaner

Version 1.0 Print Date 12/21/2016

Revision Date 06/13/2016 SDS Number 350000030339

Relative density : 1.01 g/cm3

Solubility(ies) : soluble

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

**Auto-ignition temperature** : Test not applicable for this product type

**Decomposition temperature** : Not applicable

Viscosity, dynamic : Test not applicable for this product type

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties : Test not applicable for this product type

Volatile Organic Compounds

: 1.5 % - additional exemptions may apply

Total VOC (wt. %)\*

\*as defined by US Federal and State Consumer Product

Regulations

Other information : None identified :

## 10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

Conditions to avoid : Direct sources of heat.

**Incompatible materials** : Do not mix with bleach or any other household cleaners.

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional™ Carpet Pre-Spray and Bonnet Cleaner

Version 1.0 Print Date 12/21/2016

Revision Date 06/13/2016 SDS Number 350000030339

Strong bases

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

#### 11. TOXICOLOGICAL INFORMATION

**Emergency Overview** : Warning

Acute oral toxicity : LD50 > 5000 mg/kg

Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	Category 2B	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional™ Carpet Pre-Spray and Bonnet Cleaner

Version 1.0 Print Date 12/21/2016

Revision Date 06/13/2016 SDS Number 350000030339

Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical

Condition

: None known.

#### 12. ECOLOGICAL INFORMATION

**Product:** The product itself has not been tested.

## **Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

## Toxicity to fish

Components	End point	Species	Value	Exposure time
Tripropylene Glycol Methyl Ether				
SODIUM THIOSULFATE	static test LC50 Read- across (Analogy)	Lepomis macrochirus (Bluegill sunfish)	510 mg/l	96 h
	flow- through test NOEC Measured OECD Guideline 210 (Fish, Early-Life	Danio rerio (zebra fish)	>= 316 mg/l	34 d

7/12

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional™ Carpet Pre-Spray and Bonnet Cleaner

Version 1.0 Print Date 12/21/2016

Revision Date 06/13/2016 SDS Number 350000030339

	Stage Toxicity Test)			
Sodium xylene sulfonate	LC50 Read- across (Analogy)	Oncorhynchus mykiss (rainbow trout)	> 1,000 mg/l	96 h

## **Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Tripropylene Glycol Methyl Ether				
SODIUM THIOSULFATE	static test EC50 Read- across (Analogy)	Daphnia magna (Water flea)	230 mg/l	48 h
	semi- static test NOEC Read- across (Analogy) OECD Guideline 211 (Daphnia magna Reproduct ion Test)	Daphnia magna (Water flea)	> 10 mg/l	21 d
Sodium xylene sulfonate	EC50	Daphnia magna (Water flea)	> 1,020 mg/l	48 h

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional™ Carpet Pre-Spray and Bonnet Cleaner

Version 1.0 Print Date 12/21/2016

Revision Date 06/13/2016 SDS Number 350000030339

## Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Tripropylene Glycol Methyl Ether	No data available			
SODIUM THIOSULFATE	static test EC50 Read- across (Analogy)	Pseudokirchneriella subcapitata (green algae)	> 100 mg/l	72 h
Sodium xylene sulfonate	EC50	Selenastrum capricornutum, Skeletonema costatum	> 230 mg/l	96 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Tripropylene Glycol Methyl Ether	No data available		
SODIUM THIOSULFATE	No data available		
Sodium xylene sulfonate	100 %	28 d	Readily biodegradable

## Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Tripropylene Glycol Methyl Ether	No data available	No data available
SODIUM THIOSULFATE		
Sodium xylene sulfonate	No data available	No data available

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional™ Carpet Pre-Spray and Bonnet Cleaner

Version 1.0 Print Date 12/21/2016

Revision Date 06/13/2016 SDS Number 350000030339

## **Mobility**

Component	End point	Value
Tripropylene Glycol Methyl Ether	No data available	
SODIUM THIOSULFATE	No data available	
Sodium xylene sulfonate	No data available	

#### PBT and vPvB assessment

Component	Results
Sodium xylene sulfonate	Not fulfilling PBT and vPvB criteria

Other adverse effects: None known.

## 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

#### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

#### Land transport

Not classified as dangerous in the meaning of transport regulations.

#### Sea transport

Not classified as dangerous in the meaning of transport regulations.

#### Air transport

Not classified as dangerous in the meaning of transport regulations.

# 15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional™ Carpet Pre-Spray and Bonnet Cleaner

Version 1.0 Print Date 12/21/2016

Revision Date 06/13/2016 SDS Number 350000030339

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

State Right To Know

No components are subject to the Massachusetts Right to Know Act.			
No components are subject to the Minnesota "Right To Know" Act			
No components are subject to the New Jersey "Right To Know" Act			
Pennsylvania RTKL	Water	7732-18-5	

#### **16. OTHER INFORMATION**

**HMIS Ratings** 

TIVII O KALIIIYS		
Health	1	
Flammability	0	
Reactivity	0	

**NFPA Ratings** 

iti i A Natiliyə		
Health	1	
Fire	0	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

#### **Further information**

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional™ Carpet Pre-Spray and Bonnet Cleaner

Version 1.0 Print Date 12/21/2016

Revision Date 06/13/2016

SDS Number 350000030339

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)