

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Calcium Lime Rust Remover

Version 2.0

Print Date 12/11/2025

Revision Date 03/03/2025

SDS Number 350000036532

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : SC Johnson Professional Calcium Lime Rust Remover

Recommended use : Descaler

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +1 8005585252
Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Skin corrosion	Category 1	Causes severe skin burns and eye damage.
Serious eye damage	Category 1	Causes serious eye damage.

Labelling

Hazard symbols

Corrosion

Signal word

Danger

Hazard statements

Causes severe skin burns and eye damage.
Harmful if swallowed.

Precautionary statements

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Store locked up.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Calcium Lime Rust Remover

Version 2.0

Print Date 12/11/2025

Revision Date 03/03/2025

SDS Number 350000036532

Immediately call a POISON CENTER/doctor.

Specific treatment (see supplemental first aid instructions on this label).

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Wash contaminated clothing before reuse.

Dispose of contents/ container to an approved incineration plant.

Dispose of contents /container in accordance with local regulations.

Do not breathe dust or mist.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Urea, hydrochloride	506-89-8	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Get medical attention immediately.

Skin contact : IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER/doctor.

Inhalation : IF INHALED: Remove person to fresh air and keep comfortable

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Calcium Lime Rust Remover

Version 2.0

Print Date 12/11/2025

Revision Date 03/03/2025

SDS Number 350000036532

for breathing. Immediately call a POISON CENTER/doctor.

Ingestion : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during firefighting : Container may melt and leak in heat of fire.

Further information : Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear personal protective equipment. Wash thoroughly after handling.

Environmental precautions : Outside of normal use, avoid release to the environment.

Methods and materials for containment and cleaning up : Dike large spills. Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing. For personal protection see section 8. Use only as directed. KEEP OUT OF REACH OF CHILDREN AND PETS. Avoid breathing vapours, mist or gas. Wash thoroughly after handling.

Advice on protection : Normal measures for preventive fire protection.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Calcium Lime Rust Remover

Version 2.0

Print Date 12/11/2025

Revision Date 03/03/2025

SDS Number 350000036532

against fire and explosion

Storage

Requirements for storage areas and containers : Keep container closed when not in use.
Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis

Personal protective equipment

Respiratory protection : Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.

Hand protection : Rubber gloves

Eye protection : Wear splash-resistant Chemical goggles.

Skin and body protection : Protective footwear.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : green

Odor : floral

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional Calcium Lime Rust Remover**

Version 2.0

Print Date 12/11/2025

Revision Date 03/03/2025

SDS Number 350000036532

Odour Threshold : Test not applicable for this product type**pH** : 2**Melting point/freezing point** : 32 °F**Initial boiling point and boiling range** : 100 °C**Flash point** : > 93.3 °C
> 199.94 °F**Evaporation rate** : Test not applicable for this product type**Flammability (solid, gas)** : The product is not flammable.**Upper/lower flammability or explosive limits** : Test not applicable for this product type**Vapour pressure** : Test not applicable for this product type**Vapour density** : Test not applicable for this product type**Relative density** : 1.005 g/cm3**Solubility(ies)** : completely soluble**Partition coefficient: n-octanol/water** : Test not applicable for this product type**Auto-ignition temperature** : Test not applicable for this product type

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Professional Calcium Lime Rust Remover

Version 2.0

Print Date 12/11/2025

Revision Date 03/03/2025

SDS Number 350000036532

Decomposition temperature : Test not applicable for this product type

Viscosity, dynamic : similar to water

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties : Test not applicable for this product type

Volatile Organic Compounds : 0.2 % - additional exemptions may apply
Total VOC (wt. %)* : *as defined by US Federal and State Consumer Product Regulations

Other information : None identified

:

10. STABILITY AND REACTIVITY

Reactivity : Do not mix with bleach or any other household cleaners.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.

Conditions to avoid : Direct sources of heat.

Incompatible materials : Do not mix with bleach or any other household cleaners.
Incompatible with bases.

Hazardous decomposition products : Thermal decomposition can lead to release of irritating gases and vapours.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional Calcium Lime Rust Remover**

Version 2.0

Print Date 12/11/2025

Revision Date 03/03/2025

SDS Number 350000036532

11. TOXICOLOGICAL INFORMATION

Emergency Overview : Danger, Corrosive

Acute oral toxicity : LD50 > 5000 mg/kg

Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion	Category 1	-
Serious eye damage	Category 1	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated	No classification proposed	-

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional Calcium Lime Rust Remover**

Version 2.0

Print Date 12/11/2025

Revision Date 03/03/2025

SDS Number 350000036532

exposure		
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known. None known.

12. ECOLOGICAL INFORMATION**Product :** The product itself has not been tested.**Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Urea, hydrochloride	No data available			

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Urea, hydrochloride	No data available			

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Urea, hydrochloride	No data available			

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Urea, hydrochloride	No data available		

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional Calcium Lime Rust Remover**

Version 2.0

Print Date 12/11/2025

Revision Date 03/03/2025

SDS Number 350000036532

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Urea, hydrochloride	No data available	No data available

Mobility

Component	End point	Value
Urea, hydrochloride	No data available	

PBT and vPvB assessment

Component	Results
Urea, hydrochloride	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

Disposal should be in accordance with local, state or national legislation.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional Calcium Lime Rust Remover**

Version 2.0

Print Date 12/11/2025

Revision Date 03/03/2025

SDS Number 350000036532

	Land transport	Sea transport	Air transport
UN number or identification number	3265	3265	3265
UN proper shipping name	UN3265, Corrosive liquid, Acidic, Organic, N.O.S. (Urea Hydrochloride), 8, III	UN3265, Corrosive liquid, Acidic, Organic, N.O.S. (Urea Hydrochloride), 8, III	UN3265, Corrosive liquid, Acidic, Organic, N.O.S. (Urea Hydrochloride), 8, III
Transport hazard class(es)	8	8	8
Packing group	III	III	III
Environmental hazards	-	-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.

State Right To Know

No components are subject to the Massachusetts Right to Know Act.

No components are subject to the Minnesota "Right To Know" Act

No components are subject to the New Jersey "Right To Know" Act

Pennsylvania RTKL Water 7732-18-5

Urea, hydrochloride 506-89-8

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC Johnson Professional Calcium Lime Rust Remover**

Version 2.0

Print Date 12/11/2025

Revision Date 03/03/2025

SDS Number 350000036532

16. OTHER INFORMATION**HMIS Ratings**

Health	3
Flammability	0
Reactivity	0

NFPA Ratings

Health	3
Fire	0
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--