



Revision Date: 20-Oct-2023

# Safety Data Sheet

## Spartan Chemical Company, Inc.

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### Product Identifier

**Product Name:** RJ8  
**Product Number:** 7110  
**Recommended Use:** Cleaning agent  
**Uses Advised Against:** For Industrial and Institutional Use Only

**Manufacturer/Supplier:** Spartan Chemical Company, Inc.  
1110 Spartan Drive  
Maumee, Ohio 43537 USA  
800-537-8990 (Business hours)  
[www.spartanchemical.com](http://www.spartanchemical.com)

#### **24 Hour Emergency Phone Numbers:**

**Medical Emergency/Information:** 888-314-6171  
**Transportation/Spill/Leak:** CHEMTREC 800-424-9300

### 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

**Skin Corrosion/Irritation:** Category 1 Sub-category C  
**Serious Eye Damage/Eye Irritation:** Category 1

#### GHS Label Elements

**Signal Word:**

**Symbols:**

**Danger**



#### **Hazard Statements:**

Causes severe skin burns and serious eye damage.

#### Precautionary Statements:

##### **Prevention:**

Do not breathe mist, vapors or spray.  
Wash hands and any exposed skin thoroughly after handling.  
Wear protective gloves. Wear eye / face protection. Wear protective clothing.

##### **Response:**

**IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.**

##### **-Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

##### **-Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.

##### **-Inhalation:**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

##### **-Ingestion:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

##### **-Specific Treatment:**

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

##### **Storage:**

Store locked up.

##### **Disposal:**

Dispose of contents and container in accordance with local, state and federal regulations.

**Hazards Not Otherwise Classified:** Not Applicable

**Other Information:**

- Harmful if swallowed
- Inhalation of vapors or mist may cause respiratory irritation.
- Do not use or mix with other cleaning products, acids, ammonia or other chemicals. To do so may release hazardous gases.
- Keep out of reach of children

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name                        | CAS No      | Weight-% |
|--------------------------------------|-------------|----------|
| Water                                | 7732-18-5   | 60-100   |
| Sodium Hypochlorite                  | 7681-52-9   | 1-5      |
| Sodium Hexyldiphenyl Ether Sulfonate | 147732-60-3 | 1-5      |
| Sodium Hydroxide                     | 1310-73-2   | 0.1-1    |
| Fragrance                            | PROPRIETARY | 0.1-1    |
| Sodium Ethylhexyl Sulfate            | 126-92-1    | 0.1-1    |
| Sodium Carbonate                     | 497-19-8    | 0.1-1    |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

- Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
- Skin Contact:** Take off immediately all contaminated clothing and shoes. Rinse with water or shower for at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash contaminated clothing before reuse. Discard or destroy contaminated shoes.
- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
- Ingestion:** Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person.
- Note to Physicians:** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

- Suitable Extinguishing Media:** Water spray (fog). Carbon dioxide.
- Specific Hazards Arising from the Chemical:** Dried product is capable of burning. Combustion products are toxic.
- Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
- Protective Equipment and Precautions for Firefighters:** Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

### 6. ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
- Environmental Precautions:** Do not rinse spill onto the ground, into storm sewers or bodies of water.
- Methods for Clean-Up:** Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

### 7. HANDLING AND STORAGE

- Advice on Safe Handling:** Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
- Storage Conditions:** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.

**Incompatible Materials:** Acids. Strong oxidizing agents. Ammonia. Reactive metals such as aluminum, zinc and tin.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational Exposure Limits:

| Chemical Name                 | ACGIH TLV                    | OSHA PEL                                                           | NIOSH                                                      |
|-------------------------------|------------------------------|--------------------------------------------------------------------|------------------------------------------------------------|
| Sodium Hydroxide<br>1310-73-2 | Ceiling: 2 mg/m <sup>3</sup> | TWA: 2 mg/m <sup>3</sup><br>(vacated) Ceiling: 2 mg/m <sup>3</sup> | IDLH: 10 mg/m <sup>3</sup><br>Ceiling: 2 mg/m <sup>3</sup> |

### Engineering Controls:

Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

### Personal Protective Equipment

#### Eye/Face Protection:

Wear splash goggles.

#### Skin and Body Protection:

Wear rubber or other chemical-resistant gloves.

#### Respiratory Protection:

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.

### General Hygiene Considerations:

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                        |                              |
|----------------------------------------|------------------------------|
| <b>Appearance/Physical State:</b>      | Liquid                       |
| <b>Color:</b>                          | Clear Yellow                 |
| <b>Odor:</b>                           | Mint fragrance               |
| <b>pH:</b>                             | 13.0-13.2                    |
| <b>Melting Point / Freezing Point:</b> | No information available     |
| <b>Boiling Point / Boiling Range:</b>  | 100 °C / 212 °F              |
| <b>Flash Point:</b>                    | > 100 °C / > 212 °F ASTM D56 |
| <b>Evaporation Rate:</b>               | < 1 (Butyl acetate = 1)      |
| <b>Flammability (solid, gas)</b>       | No information available     |
| <b>Upper Flammability Limit:</b>       | No information available     |
| <b>Lower Flammability Limit:</b>       | No information available     |
| <b>Vapor Pressure:</b>                 | No information available     |
| <b>Vapor Density:</b>                  | No information available     |
| <b>Specific Gravity:</b>               | 1.042                        |
| <b>Solubility(ies):</b>                | Soluble in water             |
| <b>Partition Coefficient:</b>          | No information available     |
| <b>Autoignition Temperature:</b>       | No information available     |
| <b>Decomposition Temperature:</b>      | No information available     |
| <b>Viscosity:</b>                      | No information available     |

## 10. STABILITY AND REACTIVITY

### Reactivity:

This material is considered to be non-reactive under normal conditions of use.

### Chemical Stability:

Stable under normal conditions.

### Possibility of Hazardous Reactions:

Contact with acids releases chlorine gas. Contact with ammonia releases chloramine gas. Contact with aluminum or other reactive metals may release hydrogen gas.

### Conditions to Avoid:

Extremes of temperature and direct sunlight.

### Incompatible Materials:

Acids. Strong oxidizing agents. Ammonia. Reactive metals such as aluminum, zinc and tin.

### Hazardous Decomposition

May include carbon monoxide, carbon dioxide (CO<sub>2</sub>) and other toxic gases or vapors.

### Products:

## 11. TOXICOLOGICAL INFORMATION

### Likely Routes of Exposure:

Eyes, Skin, Ingestion, Inhalation.

### Symptoms of Exposure:

#### -Eye Contact:

Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.  
**-Skin Contact:** Pain, redness, blistering and possible chemical burn.  
**-Inhalation:** Irritation or damage to the mucus membranes of the respiratory tract. Nasal discomfort and coughing.  
**-Ingestion:** Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and diarrhea.

**Immediate, Delayed, Chronic Effects**

Product Information: Data not available or insufficient for classification.

**Numerical Measures of Toxicity**

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

Data not available or insufficient for classification.

**Component Acute Toxicity Information**

| Chemical Name                                          | Oral LD50            | Dermal LD50              | Inhalation LC50                      |
|--------------------------------------------------------|----------------------|--------------------------|--------------------------------------|
| Water<br>7732-18-5                                     | > 90 mL/kg ( Rat )   | Not Available            | Not Available                        |
| Sodium Hypochlorite<br>7681-52-9                       | = 8200 mg/kg ( Rat ) | > 10000 mg/kg ( Rabbit ) | Not Available                        |
| Sodium Hexyldiphenyl Ether<br>Sulfonate<br>147732-60-3 | > 1000 mg/kg ( Rat ) | > 1000 mg/kg ( Rabbit )  | Not Available                        |
| Sodium Hydroxide<br>1310-73-2                          | Not Available        | = 1350 mg/kg ( Rabbit )  | Not Available                        |
| Sodium Ethylhexyl Sulfate<br>126-92-1                  | = 4 g/kg ( Rat )     | Not Available            | Not Available                        |
| Sodium Carbonate<br>497-19-8                           | = 4090 mg/kg ( Rat ) | Not Available            | = 2300 mg/m <sup>3</sup> ( Rat ) 2 h |

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

| Chemical Name                    | Algae/Aquatic Plants | Fish                                                                                                                                                                                                                                                                                                                                                                                                                 | Toxicity to Microorganisms | Crustacea                                          |
|----------------------------------|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------------------------|
| Sodium Hypochlorite<br>7681-52-9 | Not Available        | 0.06 - 0.11: 96 h Pimephales promelas mg/L LC50<br>flow-through 4.5 - 7.6: 96 h Pimephales promelas mg/L LC50 static 0.4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 0.28 - 1: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.05 - 0.771: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.18 - 0.22: 96 h Oncorhynchus mykiss mg/L LC50 static | Not Available              | 0.033 - 0.044: 48 h Daphnia magna mg/L EC50 Static |
| Sodium Hydroxide<br>1310-73-2    | Not Available        | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static                                                                                                                                                                                                                                                                                                                                                                      | Not Available              | Not Available                                      |
| Sodium Carbonate<br>497-19-8     | Not Available        | 300: 96 h Lepomis macrochirus mg/L LC50 static 310 - 1220: 96 h Pimephales promelas mg/L LC50 static                                                                                                                                                                                                                                                                                                                 | Not Available              | 265: 48 h Daphnia magna mg/L EC50                  |

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

**Other Adverse Effects:** No information available

**13. DISPOSAL CONSIDERATIONS**

**Disposal of Wastes:** Dispose of in accordance with federal, state and local regulations.  
**Contaminated Packaging:** Do not reuse container.

**14. TRANSPORT INFORMATION****DOT:**

**UN/ID No:** UN1760  
**Proper Shipping Name:** Corrosive liquids, n.o.s., (contains sodium hypochlorite, sodium hydroxide)  
**Hazard Class:** 8  
**Packing Group:** III  
**Special Provisions:** Corrosive (Class 8), Packing Group III materials meet the exception requirements of section 49 CFR 173.154 when individual containers of not more than 1.3 gallon capacity are packed in a strong outer packaging and ground transportation is utilized. Such material may be reclassified as "Limited Quantity".  
Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

**IMDG:**

**UN/ID No:** UN1760  
**Proper Shipping Name:** Corrosive liquids, n.o.s., (contains sodium hypochlorite, sodium hydroxide)  
**Hazard Class:** 8  
**Packing Group:** III

**15. REGULATORY INFORMATION****TSCA Status:** (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

**SARA 313**

This product does not contain listed substances above the "de minimus" level

**SARA 311/312 Hazard Categories**

|                                           |     |
|-------------------------------------------|-----|
| <b>Acute Health Hazard:</b>               | Yes |
| <b>Chronic Health Hazard:</b>             | No  |
| <b>Fire Hazard:</b>                       | No  |
| <b>Sudden release of pressure hazard:</b> | No  |
| <b>Reactive Hazard:</b>                   | No  |

**California Proposition 65**

This product is not subject to warning requirements under California Proposition 65.

**16. OTHER INFORMATION**

|                    |                          |                        |                            |                     |
|--------------------|--------------------------|------------------------|----------------------------|---------------------|
| <b><u>NFPA</u></b> | <b>Health Hazards:</b> 3 | <b>Flammability:</b> 0 | <b>Instability:</b> 0      | <b>Special:</b> N/A |
| <b><u>HMIS</u></b> | <b>Health Hazards:</b> 3 | <b>Flammability:</b> 0 | <b>Physical Hazards:</b> 0 |                     |

**Revision Date:** 20-Oct-2023  
**Reasons for Revision:** Section, 3, 7, 11

**Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**