

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 22-Jul-2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against:	BLOC-AID 7380 , 7585 Drain treatment For Industrial and Institutional Use Only
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com
24 Hour Emergency Phone Number Medical Emergency/Information Transportation/Spill/Leak:	rs: 1: 888-314-6171 CHEMTREC 800-424-9300
2. HAZARDS IDENTIFICATIO	N
GHS Classification Skin Corrosion/Irritation: Serious Eye Damage/Eye Irritation: Corrosive to Metals:	Category 1 Sub-category A Category 1 Category 1
<u>GHS Label Elements</u> Signal Word: Symbols:	Danger
Hazard Statements:	Causes severe skin burns and serious eye damage.
Precautionary Statements: Prevention:	May be corrosive to metals. Do not breathe mist, vapors or spray. Wash hands and any exposed skin thoroughly after handling. Wear protective gloves. Wear eye / face protection. Wear protective clothing. Keep in original or other corrosion resistant container.
Response: -Eyes	IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
-Skin	present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
-Inhalation:	or shower. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
-Ingestion: -Specific Treatment:	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
Spill: Storage:	Absorb spillage to prevent material damage. Store locked up. Store in corrosion resistant container.

Disposal:	Dispose of contents and container in accordance with local, state and federal regulations.
Hazards Not Otherwise Classified:	Not Applicable
Other Information:	 Corrosive. May be fatal if swallowed. Harmful contact may not cause immediate pain. Inhalation of vapors or mist may cause respiratory irritation or damage. Take off and destroy contaminated shoes. Keep out of reach of children.

• NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	40-70
sodium hydroxide	1310-73-2	15-40

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES				
-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.			
-Skin Contact:	Take off immediately all contaminated clothing and shoes. Rinse with water or shower for at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash contaminated clothing before reuse. Discard or destroy contaminated shoes.			
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.			
-Ingestion:	Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person.			
Note to Physicians:	NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.			
	5. FIRE-FIGHTING MEASURES			
Suitable Extinguishing Media:	Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire			
Specific Hazards Arising from the Chemical:	Dried product is capable of burning. Combustion products are toxic.			
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.			
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.			

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with
-	non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)
	and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:

Storage Conditions:

Incompatible Materials:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.

Reactive metals such as aluminum, zinc and tin. Contact with metals may evolve flammable hydrogen gas.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
sodium hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Engineering Controls:	chemicals above the occupat engineering controls should b	st, fumes, gas, vapors or mists w onal exposure limits, local exhau	ust ventilation or other
Personal Protective Equipment			
Eye/Face Protection:	Wear splash goggles. For sev	vere use-conditions, wear a face	shield over the goggles.
Skin and Body Protection:		al-resistant gloves. Use of imper be considered in order to prevent	· ·
Respiratory Protection:	Not required with expected us	se.	
		s are exceeded or respiratory irri irator suitable for the use-conditi	-
General Hygiene Considerations:	Wash hands and any expose See 29 CFR 1910.132-138 fo	d skin thoroughly after handling. r further guidance.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Red
Odor:	Odorless
pH:	> 13.5
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	124 °C / 255 °F
Flash Point:	> 124 °C / > 255 °F ASTM D56
Evaporation Rate:	< 1 (BuAc = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.38
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: This material is considered to be non-reactive under normal conditions of use. Stable under normal conditions.

-Skin Contact:

-Inhalation:

-Ingestion:

Possibility of Hazardous Reacti	ons: Contact with aluminum or other reactive metals may release hydrogen gas. Heat is generated when mixed with water.				
Conditions to Avoid:	Extremes of temperature and direct sunlight.				
Incompatible Materials:	ials: Reactive metals such as aluminum, zinc and tin. Contact with metals may evolve flammabl hydrogen gas.				
Hazardous Decomposition Products:					
	11. TOXICOLOGICAL INFORMATION				
Likely Routes of Exposure: Symptoms of Exposure:	Eyes, Skin, Ingestion, Inhalation.				
-Eye Contact:	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.				

Pain, redness, blistering and possible chemical burn.

Irritation or damage to the mucus membranes of the respiratory tract. Nasal discomfort and coughing.

Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects Product Information:

Data not available or insufficient for classification.

Target Organ Effects: -Eyes. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (dermal):

3858 mg/kg

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
sodium hydroxide 1310-73-2	Not Available	= 1350 mg/kg (Rabbit)	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

cotoxicity Chemical Name	Algae/Ac	quatic Plants	Fish	Toxicity to Microorganisms	Crustacea
sodium hydroxide 1310-73-2	Not Available		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	Not Available
Persistence and Degrad	ability:	No information No inf			
ther Adverse Effects:		No information	on available.		
		13. DIS	POSAL CONSIDERA	TIONS	

Disposal of Wastes: Contaminated Packaging: US EPA Waste Number:

Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations. D002

14. TRANSPORT INFORMATION

DOT: UN/ID No:

UN1760

Proper Shipping Name: Hazard Class: Packing Group: Reportable Quantity (RQ):	Corrosive liquid, n.o.s., (contains sodium hydroxide) 8 II For totes add: RQ, I.B.C.
Special Provisions:	Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.
IMDG: UN/ID No: Proper Shipping Name: Hazard Class: Packing Group: Reportable Quantity (RQ):	UN1760 Corrosive liquid, n.o.s., (contains sodium hydroxide) 8 II For totes add: RQ, I.B.C.

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories	
Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	Yes

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION				
NFPA HMIS	Health Hazards: 4 Health Hazards: 4	Flammability: 0 Flammability: 0	Instability: 1 Physical Hazards: 1	Special: N/A
Revision Date: Reasons for Revision:	22-Jul-2015 Section 14 and 15			

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet