

PRO STRIP ™ Heavy Duty Floor Stripper

Revision: 2020-06-26

Version: 03.0

1. IDENTIFICATION

Product name:

PRO STRIP ™

Product Code:

Heavy Duty Floor Stripper 95032351, 95032360

SDS #:

MS0800884

Recommended use:

Industrial/Institutional

· Floor stripper

Uses advised against:

 This product is intended to be diluted prior to use Uses other than those identified are not recommended.

Manufacturer, importer, supplier:

US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125

Fort Mill, SC 29708 Phone: 1-888-352-2249

SDS Internet Address: https://sds.diversey.com

Emergency telephone number:

Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171

1-800-851-7145; 1-651-917-6133 (Int'I)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Skin corrosion/irritation

Category 1B

Serious eye damage/eye irritation Specific target organ toxicity (single Category 1 Category 3

exposure)

Metal Corrosion:

Category 1



Signal word:

Danger.

Hazard Statements

CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE, MAY CAUSE RESPIRATORY IRRITATION. MAY BE CORROSIVE TO METALS.

Precautionary Statements

Causes burns/ serious damage to mouth, throat and stomach. Keep only in original container. Do not breathe vapors. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Use only in a well-ventilated area. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Absorb spillage to prevent material damage. Store in a well-ventilated place. Keep container tightly closed. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations.

SUPPLEMENTAL INFORMATION:. DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Mix only with water. Can react to release hazardous gases. May vigorously react with strong alkaline products resulting in spattering and excessive heat.

<u>Health hazards not otherwise classified (HHNOC)</u> - Not applicable <u>Physical hazards not otherwise classified (PHNOC)</u> - Not applicable

Classification for the diluted product @ 1:4

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1

Metal Corrosion: Category 1



Signal word:

Danger.

Hazard and Precautionary Statements

CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE, MAY BE CORROSIVE TO METALS.

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Avoid contact with ayes, skin and clothing. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water, if skin imitation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. Mix only with water. DO NOT MIX WITH ANY OTHER PRODUCT OR CHEMICAL. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
Monoethanolamine	141-43-5	7 - 13%
Benzyl alcohol	100-51-6	5 - 10%
2-(2-ethoxyethoxy)ethanol	111-90-0	1 - 5%
Sodium hydroxide	1310-73-2	1 - 5%
Sodium xylene sulfonate	1300-72-7	1 - 5%
Hexyloxyethanol	112-25-4	> 0.1 - < 1%
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts	119345-04-9	> 0.1 - < 1%

^{*}Exact percentages are being withheld as trade secret information

4, FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

Diluted Product:

Eves: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs; Get medical advice/attention

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth, DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or

water.

5. FIRE-FIGHTING MEASURES

Specific methods:

No special methods required

Suitable extinguishing media:

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards:

Corrosive material (See sections 8 and 10).

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions and clean-up methods:

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat. Do not mix with other products or chemicals except as directed on the label. Mix only with water. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Absorb spillage to prevent material damage. Do not mix with any other product or chemical. May vigorously react with acids resulting in spattering and excessive heat. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Store in corrosive-resistant container with a resistant inner liner.

Aerosol Level (if applicable): Not applicable.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	CAS#	ACGIH	OSHA
Monoethanolamine	141-43-5	6 ppm (STEL)	3 ppm (TWA)
		3 ppm (TWA)	6 mg/m³ (TWA)
Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m³ (TWA)

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

Eye protection:

Chemical-splash goggles.

Hand protection:

Chemical-resistant gloves.

Skin and body protection:

Protective footwear. Wear suitable protective clothing.

Respiratory protection:

No personal protective equipment required under normal use conditions.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection:

Chemical-splash goggles.

Hand protection:

Chemical-resistant gloves.

Skin and body protection: Respiratory protection: Hygiene measures:

No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions. Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Color:

Odor:

pH: > 11

Clear Pale,

Solubility: Completely Soluble

Cherry Almond

Boiling point/range: Not determined

Decomposition temperature: Not determined

Relative Density (relative to water): 1.06

Vapor pressure: No information available.

Vapor density: No information available

Elemental Phosphorus: 0.00 % by wt.

Corrosion to metals: Metal corrosive

Straw

Solvent

Partition coefficient (n-octanol/water): No information available

Physical State: Liquid

Evaporation Rate: No information available Odor threshold: No information available.

Melting point/range: Not determined

Autoignition temperature: No information available Solubility in other solvents: No information available

Density: Specific gravity: 1.06 Kg/L Bulk density: No information available Flash point (°F): > 200 °F > 93 °C

Viscosity: No information available

VOC: 11.7 %

Flammability (Solid or Gas): Not applicable

Sustained combustion: Not applicable

Explosion limits: - upper: Not determined - lower: Not determined

Dilution pH:

> 11

Dilution Flash Point (°F): > 200 °F 93.4 °C

VOC % by wt. at use dilution: 2 %

10. STABILITY AND REACTIVITY

Reactivity:

Stability:

Possibility of hazardous reactions:

Hazardous decomposition products:

Materials to avoid:

Not Applicable The product is stable

May vigorously react with acids resulting in spattering and excessive heat.

None reasonably foreseeable.

Acids. Strong acids. Do not mix with any other product or chemical unless specified in the use

directions.

Conditions to avoid:

None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Unlikely to be irritant in normal use.

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Target Organs (SE): No information available

Target Organs (RE): None known

Numerical measures of toxicity

>5000 ATE - Oral (mg/kg): ATE - Dermal (mg/kg): >5000 ATE - Inhalatory, mists (mg/l): 10

PRO STRIP ™ **Heavy Duty Floor Stripper**

^{* -} Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13, DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

RCRA Hazard Class (dlluted product): D002 Corrosive Waste

Contaminated Packaging: Do not re-use empty containers. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

14. TRANSPORT INFORMATION

<u>DOT/TDG/IMDG:</u> The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (ethanolamine, sodium hydroxide), 8, II

IMDG (Ocean) Bill of Lading Description: UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (ethanolamine, sodium hydroxide), 8, II

15. REGULATORY INFORMATION

International Inventories at CAS# Level

TSCA All components are listed or otherwise exempt
DSL All components are listed or otherwise exempt

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-		-
Monoethanolamine	141-43-5	X	X	X	-
Benzyl alcohol	100-51-6	X	-	X	-
2-(2-ethoxyethoxy)ethanol	111-90-0	•	X	-	-
Sodium hydroxide	1310-73-2	X	X	X	X
Sodium xylene sulfonate	1300-72-7	-		-	-
Hexyloxyethanol	112-25-4	-	X	-	-
Benzene, 1,1'-oxybis-, trapropylene derivs., sulfonated, sodium salts	119345-04-9	-	_	-	-

CERCLA/ SARA

<u> </u>					
Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
2-(2-ethoxyethoxy)ethanol	111-90-0	1 - 5%			X
Sodium hydroxide	1310-73-2	1 - 5%	1000	11 11 11 11 11 11 11 11 11 11 11 11 11	-

Hexyloxyethanol	112-25-4	> 0.1 - < 1%			X
Ingredient(s)	Ingredient(s) C		CAA ODS	CWA Pri	ority Pollutants
2-(2-ethoxyethoxy)ethanol		X			

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0 Special Hazards -

Diluted Product:

Health 3 Flammability 0 Instability 0 Special Hazards

Revision: 2020-06-26

Version: 03.0

Reason for revision: Prepared by:

Not applicable

North American Regulatory Affairs

Additional advice:

· Contains an added fragrance, see "Odor" heading in section 9 for specific description

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.