SAFETY DATA SHEET



Issue Date 17-Jan-2022

Revision Date 04-Jan-2021

Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

| <u>Product identifier</u> Product Name | High Acid Bowl Cleaner 04 |
|--|--|
| <u>Other means of identification</u> Product Code Synonyms | N-02004 None |
| Details of the supplier of the safety | data sheet |
| Company Name | Nassco Inc. 5355 S. Westridge Drive New Berlin, WI 53151 (800) 729-6726 |

Emergency telephone number Emergency Telephone

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral | Category 4 |
|--|---------------------------|
| Acute toxicity - Inhalation (Gases) | Category 3 |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Skin corrosion/irritation | Category 1 Sub-category A |
| Serious eye damage/eye irritation | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |

Label elements

Emergency Overview

Danger

Hazard statements Harmful if swallowed Toxic if inhaled Causes severe skin burns and eye damage May cause respiratory irritation



Appearance Milky White

Physical state Liquid

Odor Acidic

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician Rinse mouth Do NOT induce vomiting Drink plenty of water Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal Disposal should be in accordance with applicable regional, national and local laws and regulations

Hazards not otherwise classified (HNOC)

Other Information

Harmful to aquatic life

Unknown Acute Toxicity

0.12501 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

| First aid measures | |
|--------------------|---|
| General advice | Immediate medical attention is required. |
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is required. |
| Eye contact | Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. |
| Inhalation | Remove to fresh air. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. Get medical attention for any breathing difficulty. |
| Ingestion | Clean mouth with water. Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. |

| Self-protection of the first aider | Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. |
|------------------------------------|---|
| Most important symptoms and effe | cts, both acute and delayed |
| Symptoms | Any additional important symptoms and effects are described in Section 11: Toxicology Information. |
| Indication of any immediate medica | al attention and special treatment needed |
| Note to physicians | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically. |

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Personal precautions | Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. | |
|--|---|--|
| Environmental precautions | | |
| Environmental precautions | Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other surface water bodies. Should not be released into the environment. Dispose of according to all local city, state and federal rules and regulations. | |
| Methods and material for containment and cleaning up | | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | |
| Methods for cleaning up | Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water. | |

7. HANDLING AND STORAGE

| Advice on safe handling | Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. |
|---------------------------------|---|
| Conditions for safe storage, in | ncluding any incompatibilities |
| Storage Conditions | Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep in properly labeled containers. Keep/store only in original container. Do not reuse container. |
| Incompatible materials | Incompatible with strong acids and bases. Incompatible with oxidizing agents. Metals. Ammonia. Chlorinated compounds. Contact with metals may evolve flammable hydrogen gas. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Other Information

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------|----------------|--|------------------------------|
| Hydrochloric Acid | Ceiling: 2 ppm | (vacated) Ceiling: 5 ppm | IDLH: 50 ppm |
| 7647-01-0 | | (vacated) Ceiling: 7 mg/m ³ | Ceiling: 5 ppm |
| | | Ceiling: 5 ppm | Ceiling: 7 mg/m ³ |
| | | Ceiling: 7 mg/m ³ | |
| 2-Propanol | STEL: 400 ppm | TWA: 400 ppm | IDLH: 2000 ppm |
| 67-63-0 | TWA: 200 ppm | TWA: 980 mg/m ³ | TWA: 400 ppm |
| | | (vacated) TWA: 400 ppm | TWA: 980 mg/m ³ |
| | | (vacated) TWA: 980 mg/m ³ | STEL: 500 ppm |
| | | (vacated) STEL: 500 ppm | STEL: 1225 mg/m ³ |
| | | (vacated) STEL: 1225 mg/m ³ | _ |

NIOSH IDLH Immediately Dangerous to Life or Health

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

| Engineering Controls | Showers, Eyewash stations & Ventilation systems. |
|------------------------------------|---|
| Individual protection measures, su | ch as personal protective equipment |
| Eye/face protection | Tight sealing safety goggles. Wear a face shield if splashing hazard exists. |
| Skin and body protection | Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| General Hygiene | Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

| Appearance | Milky White | |
|-------------------------------|--------------------------|------------------|
| Color | White | |
| Odor | Acidic | |
| Odor threshold | No Information available | |
| _ | | |
| Property | Values | Remarks • Method |
| рН | <1 | |
| Specific Gravity | 1.10 | |
| Viscosity | < 25 cP @ 25°C | |
| Melting point/freezing point | No Information available | |
| Flash point | None | |
| Boiling point / boiling range | 93 °C / 200 °F Degrees | |
| Evaporation rate | No Information available | |
| Flammability (solid, gas) | No data available | |
| Flammability Limits in Air | | |
| Upper flammability limit: | No Information available | |
| Lower flammability limit: | No Information available | |
| Vapor pressure | No Information available | |
| Vapor density | No Information available | |
| Water solubility | Complete | |
| Partition coefficient | No Information available | |
| Autoignition temperature | No Information available | |
| Decomposition temperature | No Information available | |
| Other Information | | |

Other Information

| Density Lbs/Gal | 9.16 |
|-----------------|------|
| VOC Content (%) | 0.02 |

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Metals. Ammonia. Chlorinated compounds. Contact with metals may evolve flammable hydrogen gas.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | The primary effects and toxicity of this material are due to it corrosive nature. |
|---------------------|--|
| Inhalation | Avoid breathing vapors or mists. Toxic by inhalation. Breathing of vapor can cause respiratory irritation and inflammation. Breathing of mist or liquid can cause burns to the respiratory tract. May cause drowsiness or dizziness. |
| Eye contact | Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness. |

| Skin Contact | Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns. | |
|---|--|--|
| Ingestion | Harmful if swallowed. Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach. | |
| Information on toxicological effects | | |
| Symptoms | No Information available. | |
| Delayed and immediate effects as w | vell as chronic effects from short and long-term exposure | |
| Corrosivity | Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eves. | |
| Sensitization Germ cell mutagenicity Carcinogenicity | No Information available. No Information available. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. The table below indicates whether each agency has listed any ingredient as a carcinogen. | |
| IARC (International Agency for Rese Group 3 -Not classifiable as a human of OSHA (Occupational Safety and Hea X - Present | earch on Cancer) <i>carcinogen</i> alth Administration of the US Department of Labor) | |
| Reproductive toxicity STOT - single exposure STOT - repeated exposure Chronic toxicity | No Information available. No Information available. No Information available. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects. | |
| Target organ effects Aspiration hazard | EYES, Respiratory system, Skin. No Information available. | |
| Numerical measures of toxicity - Product Information | | |
| Unknown Acute Toxicity | 0.12501 % of the mixture consists of ingredient(s) of unknown toxicity | |
| The following values are calculated ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist) | based on chapter 3.1 of the GHS document . 990.10 20,863.10 2,343.4163 2.084 | |

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.12501% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|--------------------------------|---|---|--|
| Hydrochloric Acid 7647-01-0 | | 282:96 h Gambusia affinis mg/L | - |
| Lauramine Oxide 1643-20-5 | - | 134: 96 h Danio rerio mg/L LC50 semi-static | - |
| Propylene Glycol 57-55-6 | 19000: 96 h Pseudokirchneriella subcapitata mg/L EC50 | 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 51600: 96 h Oncorhynchus mykiss mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50 | 1000: 48 h Daphnia magna mg/L EC50 Static |
| 2-Propanol 67-63-0 | 1000: 72 h Desmodesmus subspicatus mg/L EC50 1000: 96 h Desmodesmus | 11130: 96 h Pimephales promelas mg/L LC50 static 9640: 96 h Pimephales promelas | 13299: 48 h Daphnia magna mg/L EC50 |

| subspicatus mg/L EC50 | mg/L LC50 flow-through 1400000: 96 h Lepomis macrochirus µg/L LC50 | |
|-----------------------|--|--|
|-----------------------|--|--|

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

| Other adverse effects | No Information available |
|-------------------------|---|
| | 13. DISPOSAL CONSIDERATIONS |
| Waste treatment methods | |
| Disposal of wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| Contaminated packaging | Do not reuse container. |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

| DOT UN/ID No. Proper shipping name Hazard Class Packing Group Special Provisions Description Emergency Response Guide Number | UN1760 Corrosive liquids, n.o.s. 8 II B2, IB2, T11, TP2, TP27 UN1760, Corrosive liquids, n.o.s. (contains Hydrochloric Acid), 8, II 154 |
|--|---|
| <u>TDG</u> UN/ID No. Proper shipping name Hazard Class Packing Group Description | UN1760 Corrosive liquids, n.o.s. 8 II UN1760, Corrosive liquids, n.o.s. (Contains Hydrochloric Acid), 8, II |

15. REGULATORY INFORMATION

| International Inventories | |
|---------------------------|----------|
| TSCA | Complies |
| DSL/NDSL | Complies |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % | | |
|-----------------------------------|-------------------------------|--|--|
| Hydrochloric Acid - 7647-01-0 | 1.0 | | |
| SARA 311/312 Hazard Categories | | | |
| Acute health hazard | Yes | | |
| Chronic Health Hazard | Yes | | |
| Fire hazard | No | | |
| Sudden release of pressure hazard | No | | |
| Reactive Hazard | No | | |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

US State Regulations

California Proposition 65

This product has been evaluated and does not require warning labeling under California Proposition 65.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| Hydrochloric Acid 7647-01-0 | X | X | Х |
| Propylene Glycol 57-55-6 | X | - | Х |
| 2-Propanol 67-63-0 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

| 16. OTHER INFORMATION | | | | |
|--|------------------------|----------------|--------------------|---------------------------------------|
| NFPA | Health hazards 3 | Flammability 0 | Instability 0 | Physical and Chemical Properties - |
| HMIS | Health hazards 3 | Flammability 0 | Physical hazards 0 | Personal protection C |
| Issue Date Revision Date Revision Note No Information available | 17-Jan-20 04-Jan-20 | | | |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.