SAFETY DATA SHEET



Issue Date 29-Nov-2022

I

Revision Date 28-Nov-2022

Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

<u>Product identifier</u> Product Name	Heavy Duty Degreaser 60
<u>Other means of identification</u> Product Code Synonyms	N-02015 None
Details of the supplier of the safety	
Company Name	Nassco Inc. 5355 S. Westridge Drive
	New Berlin, WI 53151 (800) 729-6726

Emergency telephone number Emergency Telephone

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

May be harmful if swallowed Causes severe skin burns and eye damage



Appearance Clear Blue

Physical state Liquid

Odor Mild Solvent

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Drink plenty of water Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations

Hazards not otherwise classified (HNOC)

Other Information

- Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

Unknown Acute Toxicity

0.02426 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
2-butoxyethanol	111-76-2	3-7	*
Dodecylbenzene Sulfonic Acid	68584-22-5	1-5	*
Sodium Hydroxide	1310-73-2	1-5	*
1-Butoxy-2-Propanol	5131-66-8	1-5	*
Sodium Metasilicate	6834-92-0	1-5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures		
General advice	Immediate medical attention is required.	
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is required.	
Eye contact	Immediately flush with plenty of water, including under the eyelids. Remove any contact lenses if present and easy to do. Continue to rinse for a total of 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician. Do not rub affected area.	
Inhalation	Remove to fresh air. Get medical attention for any breathing difficulty.	
Ingestion	Rinse mouth. Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		

Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology Information.	
Indication of any immediate medic	al attention and special treatment needed	
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment as required.		
Environmental precautions			
Environmental precautions	Do not allow into any storm sewer drains, lakes, streams, ponds, estuaries, oceans or other surface water bodies. Should not be released into the environment. Dispose of according to all local city, state and federal rules and regulations.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Prevent product from entering drains. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. After cleaning, flush away traces with water.		

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

Incompatible materials

Strong acids. Aluminum. Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³
Phosphoric Acid 7664-38-2	STEL: 3 mg/m ³ TWA: 1 mg/m ³	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ (vacated) STEL: 3 mg/m ³	IDLH: 1000 mg/m ³ TWA: 1 mg/m ³ STEL: 3 mg/m ³
etrasodium Pyrophosphate 7722-88-5	-	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles. Wear a face shield if splashing hazard exists.
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene	Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear Blue
Color	Blue
Odor	Mild Solvent
Odor threshold	No Information available
Property	<u>Values</u>
pH	13.0 - 14.0

Remarks • Method

Specific Gravity	1.05
Viscosity Melting point/freezing point	Water Thin No Information available
Flash point	> 140 °F
Boiling point / boiling range	212 °F
Evaporation rate	No Information available
Flammability (solid, gas)	No data available
Flammability Limits in Air	
Upper flammability limit:	No Information available
Lower flammability limit:	No Information available
Vapor pressure	No Information available
Vapor density	No Information available
Water solubility	Complete
Partition coefficient	No Information available
Autoignition temperature	No Information available
Decomposition temperature	No Information available
Other Information	

<u>0</u>

Density Lbs/Gal	8.75
VOC Content (%)	6.95

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Strong acids. Aluminum. Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	The primary effects and toxicity of this material are due to it corrosive nature.
Inhalation	Avoid breathing vapors or mists. Breathing of vapor can cause respiratory irritation and inflammation. Breathing of mist or liquid can cause burns to the respiratory tract.
Eye contact	Avoid contact with eyes. Corrosive. Causes severe eye damage.
Skin Contact	Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns. Prolonged or repeated contact may cause absorption to the skin.
Ingestion	Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach. Ingestion may result in the absorption of potentially harmful amounts leading to possible liver and kidney damage.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-butoxyethanol	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat)4 h
111-76-2			= 486 ppm (Rat) 4 h

Dodecylbenzene Sulfonic Acid 68584-22-5	= 775 mg/kg	(Rat) = 2	000 mg/kg (Rabbit)	-	
Sodium Hydroxide		= 1	350 mg/kg (Rabbit)	_	
1310-73-2					
1-Butoxy-2-Propanol	= 1900 mg/kg	(Rat)	-	-	
5131-66-8	0.0	、 <i>,</i>			
Sodium Metasilicate	= 1153 mg/kg	(Rat)	-	-	
6834-92-0					
Information on toxicologic	cal effects				
Symptoms	No Informatio	on available.			
Delayed and immediate ef	ffects as well as chronic	c effects from short a	and long-term exposure	_	
Corrosivity	Causes burn	s. Extremely corrosive	and destructive to tissue.	Risk of serious damage to	
	eyes.				
Sensitization	No Information				
Germ cell mutagenicity	No Informatio		,		
Carcinogenicity				y ingredient as a carcinogen.	
Chemical Name	ACGIH	IARC	NTP	OSHA	
2-butoxyethanol 111-76-2	A3	Group 3	-	-	
	rence of Governmental Ind	lustrial Hygiopists)			
A3 - Animal Carcinogen	Tence of Governmental inc	iusti lai riyyteriists)			
	ncy for Research on Cance as a human carcinogen	r)			
Reproductive toxicity	No Informatio	on available.			
STOT - single exposure	No Information	on available.			
STOT - repeated exposure	No Information	on available.			
Chronic toxicity		sure to corrosive fum	es/gases may cause erosi	on of the teeth followed by jaw	
-	necrosis. Br	onchial irritation with o	chronic cough and frequen	t attacks of pneumonia are	
			ances may also be seen. A		
	Possible risk	of irreversible effects.	May cause adverse effect	ts on the bone marrow and	
	blood-forming	g system. May cause	adverse liver effects.		
Target organ effects	Farget organ effects Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory				
	system, Skin				
spiration hazard No Information available.					
Numerical measures of to	xicity - Product Inform	nation			
Unknown Acute Toxicity	0.02426 % o	f the mixture consists	of ingredient(s) of unknow	n toxicity	
The following values are o	calculated based on ob	antor 3.1 of the CUE	document		
ATEmix (oral)	4,649.50				
ATEmix (oral) ATEmix (dermal)	4,649.50 6.648.10				
ATEmix (dermal)	-,				
ATEmix (inhalation-du					
A I EINIX (INNAIATION-Va	i por) 8,181.80				

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.02426% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-butoxyethanol	-	1490: 96 h Lepomis macrochirus	1000: 48 h Daphnia magna mg/L
111-76-2		mg/L LC50 static	EC50
		2950: 96 h Lepomis macrochirus	
		mg/L LC50	
Dodecylbenzene Sulfonic Acid	-	3: 96 h Oncorhynchus mykiss mg/L	2.9: 48 h Daphnia magna mg/L
68584-22-5		LC50 static	EC50
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	
Sodium Metasilicate	-	210: 96 h Brachydanio rerio mg/L	216: 96 h Daphnia magna mg/L
6834-92-0		LC50 semi-static	EC50

		210: 96 h Brachydanio rerio mg/L	
		LC50	
Tetrasodium EDTA	1.01: 72 h Desmodesmus	41: 96 h Lepomis macrochirus mg/L	-
64-02-8	subspicatus mg/L EC50	LC50 static	
		59.8: 96 h Pimephales promelas	
		mg/L LC50 static	
Trisodium nitrilotriacetate	-	175 - 225: 96 h Lepomis	560 - 1000: 48 h Daphnia magna
5064-31-3		macrochirus mg/L LC50 static	mg/L LC50
		560 - 1000: 96 h Oryzias latipes	-
		mg/L LC50	
		560 - 1000: 96 h Oryzias latipes	
		mg/L LC50 semi-static	
		560 - 1000: 96 h Poecilia reticulata	
		mg/L LC50	
		560 - 1000: 96 h Poecilia reticulata	
		mg/L LC50 semi-static	
		72 - 133: 96 h Oncorhynchus	
		mykiss mg/L LC50 static	
		93 - 170: 96 h Pimephales promelas	
		mg/L LC50 flow-through	
		114: 96 h Pimephales promelas	
		mg/L LC50	
		252: 96 h Lepomis macrochirus	
		mg/L LC50	
		470: 96 h Pimephales promelas	
		mg/L LC50 static	

Persistence and degradability

No Information available.

Bioaccumulation

Bioaccumulative potential.

Chemical Name	Partition coefficient
2-butoxyethanol 111-76-2	0.81
Dodecylbenzene Sulfonic Acid 68584-22-5	2

Other adverse effects

No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium Hydroxide	Toxic
1310-73-2	Corrosive

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT UN/ID No. Proper shipping name

UN1760 Corrosive liquids, n.o.s.

Hazard Class	8
Packing Group	II
Special Provisions	B2, IB2, TII, TP2, TP27
Description	UN1760, Corrosive liquids, n.o.s. (contains Sodium Hydroxide), 8, II
Emergency Response Guide	154
Number	
<u>TDG</u>	
UN/ID No.	UN1760
Proper shipping name	Corrosive liquids, n.o.s.
Hazard Class	8
Packing Group	I

15. REGULATORY INFORMATION

UN1760, Corrosive liquids, n.o.s. (contains Sodium Hydroxide), 8, II

International Inventories	
TSCA	Complies
DSL/NDSL	Complies

Legend:

Description

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide 1310-73-2	1000 lb	-	-	Х

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

US State Regulations

California Proposition 65

WARNING: This product can expose you to chemicals including Acetic Acid, 2,2-dichloro, which is known to the state of California to cause cancer, or birth defects or other reproduction harm. For More Information go to www.P65Warnings.ca.gov.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-butoxyethanol 111-76-2	Х	Х	Х
Sodium Hydroxide 1310-73-2	Х	Х	Х
Phosphoric Acid 7664-38-2	Х	X	Х
Tetrasodium Pyrophosphate 7722-88-5	Х	X	Х
Sodium Trimetaphosphate 7785-84-4	-	X	Х
Trisodium nitrilotriacetate 5064-31-3	-	X	-

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

Non-controlled

16. OTHER INFORMATION							
NFPA	Health hazards 3	Flammability 0	Instability 0	Physical and Chemical Properties -			
HMIS	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection C			
Issue Date Revision Date Revision Note No Information available	29-Nov-2022 28-Nov-2022						

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet