



Issue Date 18-Jan-2021

Revision Date 18-Jan-2021

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier Product Name

Nassco Pro Series 80 Neutral Disinfectant Cleaner

Other means of identification Product Code Synonyms

N-02022 None

Details of the supplier of the safet	<u>y data sheet</u>
Company Name	Nassco Inc. 5365 S. Moorland Road New Berlin, WI 53151 (800) 729-6726
Emergency telephone number Emergency Telephone	Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview



Hazard statements Harmful if swallowed Harmful in contact with skin Causes severe skin burns and eye damage



Physical state Liquid

Odor Pleasant

Precautionary Statements - Prevention

Do not get in eyes, on skin, or on clothing Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

If irritation persists or burns occur, get medical attention

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artifical respiration,

preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

Precautionary Statements - Storage

Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Very toxic to aquatic life with long lasting effects

Unknown Acute Toxicity

0.05275% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Alkyl (C12-16) dimethyl benzyl ammonium chloride	68424-85-1	1-5	*
Octyl decyl dimethyl ammonium chloride	32426-11-2	1-5	*
Ethanol	64-17-5	1-5	*
Dioctyl dimethyl ammonium chloride	5538-94-3	.1-1	*
Didecyl Dimethyl Ammonium Chloride	7173-51-5	.1-1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures	
General advice	Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention for any breathing difficulty.
Ingestion	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

 Symptoms
 Any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Probable mucosal damage may contraindictate the use of gastric lavage. Treatment based on judgment of the physician in response to reactions of the patient. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective	equipment and emergency procedures	
Personal precautions	Use personal protective equipment as required.	
Environmental precautions		
Environmental precautions	Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems withour previously notifying the local sewage treatment plant authority. For guidance, contact your State water board or Regional office of the EPA.	
Methods and material for contain	ment and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so. Large Spills: Dike or dam spill. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Use only with adequate ventilation and in closed systems. Use personal protective equipment as required.	
Conditions for safe storage, incl	uding any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.	

Incompatible materials

Anionic surfactants.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	Ũ
Sodium Hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Method

Appropriate engineering controls

stems.
;

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles). Wear a face shield if splashing hazard exists.
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory protection	Ensure adequate ventilation, especially in confined areas. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene	Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid Clear Blue Blue Pleasant No Information available	
Property pH Specific Gravity Viscosity Melting point/freezing point Flash point Boiling point / boiling range Evaporation rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limit:	Values 6.0 - 8.0 1.01 < 25 cP @ 25°C No Information available Above 200°F < 212 ° F No Information available No data available No Information available	<u>Remarks</u>

Lower flammability limit:	No Information available
Vapor pressure	No Information available
Vapor density	No Information available
Water solubility	Complete
Partition coefficient	No Information available
Autoignition temperature	No Information available
Decomposition temperature	No Information available
Other Information	
Density Lbs/Gal	8.41
VOC Content (%)	1.085

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Anionic surfactants.

Hazardous Decomposition Products

Oxides of carbon and nitrogen.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Avoid breathing vapors or mists. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Irritating to eyes.
Skin Contact	Avoid contact with skin. Corrosive. Contact with skin may cause severe irritation and burns.
Ingestion	Harmful if swallowed. Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach. May cause gastro intestinal

Harmful if swallowed. Ingestion causes acute irritation and burns to the mucous
membranes of the mouth, trachea, esophagus and stomach. May cause gastro intestinal
irritation. Ingestion may cause nausea, vomiting, or diarrhea.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Alkyl (C12-16) dimethyl benzyl	= 426 mg/kg (Rat)	= 2300 mg/kg (Rabbit)	-
ammonium chloride	= 850 mg/kg (Rat)	= 1420 mg/kg (Rat)	
68424-85-1	= 240 mg/kg (Rat)		
Octyl decyl dimethyl ammonium	= 405 mg/kg (Rat)	= 740 mg/kg (Rat)	-
chloride			
32426-11-2			
Ethanol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
64-17-5			
Dioctyl dimethyl ammonium chloride	= 405 mg/kg (Rat)	= 740 mg/kg (Rat)	-
5538-94-3			
Didecyl Dimethyl Ammonium	= 84 mg/kg (Rat)	-	-
Chloride			

7173-51-5

Information on toxicological effects

Symptoms

No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity

No Information available.

No Information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

			NITO	00114		
Chemical Name	ACGIH	IARC	NTP	OSHA		
Ethanol	A3	Group 1	Known	X		
64-17-5						
	erence of Governmental In	dustrial Hygienists)				
A3 - Animal Carcinogen	ncy for Research on Canc					
Group 1 - Carcinogenic to						
, 0	NTP (National Toxicology Program)					
Known - Known Carcinog						
		ation of the US Department (of Labor)			
X - Present						
Reproductive toxicity	No Informat	ion available.				
STOT - single exposure	No Informat	ion available.				
STOT - repeated exposur		ion available.				
Chronic toxicity		s been shown to be a repro	oductive toxin only when co	onsumed as an alcoholic		
		thanol has been shown to	•			
		is alcoholic beverage. May				
		ng system. May cause adve				
		U		a known or suspected		
Target organ effects	-	reproductive toxin.				
Target organ enects	Skin.	Blood, Central nervous system, EYES, Liver, Reproductive System, Respiratory system,				
Appiration barand		Skin. No Information available.				
Aspiration hazard	spiration hazard No Information available.					
Numerical management of the	aviaity Draduat Inform	nation				
Numerical measures of to	Dicity - Floduct Infon	nation				
Unknown Acute Toxicity	Unknown Acute Toxicity 0.05275% of the mixture consists of ingredient(s) of unknown toxicity					
The following values are calculated based on chapter 3.1 of the GHS document						
ATEmix (oral)	10,847.50	-				
ATEmix (dermal)	35,601.40					
ATEmix (inhalation-d						
	12 F(COLOGICAL INFORM				
	12. 5					

Ecotoxicity

0.05275% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Alkyl (C12-16) dimethyl benzyl	-	0.223 - 0.46: 96 h Lepomis	-
ammonium chloride		macrochirus mg/L LC50 static	
68424-85-1		0.823 - 1.61: 96 h Oncorhynchus	
		mykiss mg/L LC50 static	
		1.3: 96 h Poecilia reticulata mg/L	
		LC50 semi-static	
		2.4: 96 h Oryzias latipes mg/L LC50	
		semi-static	
Ethanol	-	12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia magna
64-17-5		mykiss mL/L LC50 static	mg/L LC50
		13400 - 15100: 96 h Pimephales	2: 48 h Daphnia magna mg/L EC50
		promelas mg/L LC50 flow-through	Static
		100: 96 h Pimephales promelas	

N-02022 Nassco Pro Series 80 Neutral Disinfectant Cleaner

		mg/L LC50 static	
Tetrasodium EDTA	1.01: 72 h Desmodesmus	41: 96 h Lepomis macrochirus mg/L	-
64-02-8	subspicatus mg/L EC50	LC50 static	
		59.8: 96 h Pimephales promelas	
		mg/L LC50 static	
Didecyl Dimethyl Ammonium	-	0.97: 96 h Danio rerio mg/L LC50	-
Chloride		semi-static	
7173-51-5			
Citric Acid	-	1516: 96 h Lepomis macrochirus	-
77-92-9		mg/L LC50	
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss	-
1310-73-2		mg/L LC50 static	
Trisodium nitrilotriacetate	-	175 - 225: 96 h Lepomis	560 - 1000: 48 h Daphnia magna
5064-31-3		macrochirus mg/L LC50 static	mg/L LC50
		560 - 1000: 96 h Oryzias latipes	
		mg/L LC50	
		560 - 1000: 96 h Oryzias latipes	
		mg/L LC50 semi-static	
		560 - 1000: 96 h Poecilia reticulata	
		mg/L LC50	
		560 - 1000: 96 h Poecilia reticulata	
		mg/L LC50 semi-static	
		72 - 133: 96 h Oncorhynchus	
		mykiss mg/L LC50 static	
		93 - 170: 96 h Pimephales promelas	
		mg/L LC50 flow-through	
		114: 96 h Pimephales promelas	
		mg/L LC50	
		252: 96 h Lepomis macrochirus	
		mg/L LC50	
		470: 96 h Pimephales promelas	
		mg/L LC50 static	

Persistence and degradability

No Information available.

Bioaccumulation

Bioaccumulative potential.

Chemical Name	Partition coefficient
Ethanol	-0.32
64-17-5	

Other adverse effects

This pesticide is toxic to fish and aquatic invertebrates.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes can not be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
Contaminated packaging	Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse empty container with water. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name California Hazardous Waste Status

Ethanol	Toxic
64-17-5	Ignitable

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT UN/ID No. Proper shipping name Hazard Class Packing Group Special Provisions Description	UN1903 Disinfectants, liquid, corrosive, n.o.s. 8 II B2, IB2, T7, TP2 UN1903, Disinfectants, liquid, corrosive, n.o.s. (contains Quaternary Ammonium Compound), 8, II
Emergency Response Guide Number TDG	153
UN/ID No.	UN1903
Proper shipping name Hazard Class Packing Group Description	Disinfectants, liquid, corrosive, n.o.s. 8 II UN1903, Disinfectant, liquid, corrosive, n.o.s. (contains Quarternary Ammonium Compound), 8, II

 15. REGULATORY INFORMATION

 International Inventories
 Complies

 TSCA
 Complies

 DSL/NDSL
 Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product has been evaluated and does not require warning labeling under California Proposition 65.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethanol	Х	X	X
64-17-5			
Sodium Hydroxide	Х	X	Х
1310-73-2			
Trisodium nitrilotriacetate	-	X	-
5064-31-3			

U.S. EPA Label Information

EPA Pesticide Registration Number 10324-113-18166

materials or in any process, unless specified in the text.

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. See the product label for the FIFRA hazard information as required on the pesticide label.

16. OTHER INFORMATION					
NFPA	Health hazards 3	Flammability 0	Instability 0	Physical and Chemical Properties -	
<u>HMIS</u>	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection B	
Issue Date Revision Date Revision Note No Information available Disclaimer	18-Jan-2 18-Jan-2				
<u>Disclaimer</u> The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other					

End of Safety Data Sheet