

SAFETY DATA SHEET Solopol Classic

According to the Federal Final Rule of Hazard Communication revised on May 25, 2012 (Standard 1910.1200)

1. Identification

Product identifier

Product name Solopol Classic

Product number SOL2LT-US NEW, SOL4LTR-US NEW, SOL1G, PN98318706, PN88313406, 32140,

PN98313551

Recommended use of the chemical and restrictions on use

Application Hand Wash.

Details of the supplier of the safety data sheet

Supplier SC Johnson Professional USA, Inc.

2815 Coliseum Centre Dr., Suite 600, Charlotte, NC 28217

1-800-248-7190 (Industrial/Institutional); 1-866-783-0422 (Healthcare)

cs.proUS@scj.com (Industrial/Institutional); cs.healthcareUS@scj.com (Healthcare)

Emergency telephone number

Emergency telephone (800) 424-9300 CHEMTREC (North America) (703) 527-3887 CHEMTREC (International, call

collect)

2. Hazard(s) identification

Classification of the substance or mixture

OSHA Regulatory Status This Product is Not Hazardous under the OSHA Hazard Communication Standard.

Physical hazards Not Classified

Health hazards Eye Dam. 1 - H318

Environmental hazards Aquatic Acute 2 - H401

Label elements

Signal word Danger

Hazard statements H318 Causes serious eye damage.

H401 Toxic to aquatic life.

Precautionary statements P273 Avoid release to the environment.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/ doctor.

P501 Dispose of contents/ container in accordance with national regulations.

Contains LAURETH-5, SODIUM LAURETH SULPHATE

3. Composition/information on ingredients

Mixtures

Solopol Classic

LAURETH-5 1-10%

CAS number: 68439-50-9 M factor (Acute) = 1

Classification

Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412

SULFATED CASTOR OIL 1-10%

CAS number: 8002-33-3

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2A - H319

SODIUM LAURETH SULPHATE 1-10%

CAS number: 68891-38-3

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

The full text for all hazard statements is displayed in Section 16.

INCI Aqua, Juglans Regia (Walnut) Shell Powder, Sodium Laureth Sulfate, Laureth-5, Sulfated

Castor Oil, Sodium Chloride, Oleic Acid, Glyceryl Oleate Citrate, Sodium Benzoate, Citric Acid, Titanium Dioxide, Xanthum Gum, Aloe Barbadensis Leaf Extract, Cellulose Gum,

Fragrance (parfum)

4. First-aid measures

Description of first aid measures

Ingestion Get medical attention immediately.

Skin Contact Intended as a cosmetic hand cleaner. Non-toxic.

Eye contact In case of contact, immediately flush eyes with large amounts of water, continuing to flush for

15 minutes. If irritation persists get medical attention.

Protection of first aiders None

Most important symptoms and effects, both acute and delayed

General information None.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Water spray, foam, dry powder or carbon dioxide.

Special hazards arising from the substance or mixture

Specific hazards Not applicable.

Advice for firefighters

Solopol Classic

Protective actions during

firefighting

No specific firefighting precautions known.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Take care as floors and other surfaces may become slippery.

Environmental precautions

Environmental precautions The product is not expected to be toxic to aquatic organisms.

Methods and material for containment and cleaning up

Methods for cleaning up Shovel into dry containers. Cover and move the containers. Flush the area with water.

7. Handling and storage

Precautions for safe handling

Usage precautions no special requirements

Conditions for safe storage, including any incompatibilities

Storage precautions no special requirements

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

TITANIUM DIOXIDE

Long-term exposure limit (8-hour TWA): ACGIH 10 mg/m³

ACGIH = American Conference of Governmental Industrial Hygienists.

Exposure controls

Eye/face protection No specific eye protection required during normal use.

Hand protection Not applicable.

Hygiene measures No specific hygiene procedures recommended but good personal hygiene practices should

always be observed when working with chemical products.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Paste

Color Beige.

Odor Fragrant

pH 5.0 - 5.5 (10%)

Relative density approx. 1.05

10. Stability and reactivity

Reactivity Stable under normal conditions

Stability Stable at normal ambient temperatures.

Solopol Classic

Possibility of hazardous

reactions

No information available

Conditions to avoid Keep at temperature not exceeding 40°C.

Materials to avoid No information available

11. Toxicological information

Information on toxicological effects

Toxicological effectsNo information available.

12. Ecological information

Toxicity Not applicable.

Persistence and degradability

Persistence and degradability No data available.

Bioaccumulative potential

Bio-Accumulative Potential Not known.

Mobility in soil

Mobility Not known.

Other adverse effects

Other adverse effects Not known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, DOT).

UN Number

UN No. (International) Not applicable.

UN proper shipping name

Proper shipping name

(International)

Not applicable.

Transport hazard class(es)

Transport Labels

(International)

No transport warning sign required.

Packing group

Packing group (International) Not applicable.

Environmental hazards

Environmentally Hazardous Substance

No.

Solopol Classic

Special precautions for user

Not applicable.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

16. Other information

Revision comments Formulation Changed

Revision date 6/26/2020

Revision 3

Supersedes date 5/16/2019

SDS No. 21854

Hazard statements in full H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.