

makes a difference



MAXIMUM MANEUVERABILITY.

A ride-on sweeper boasting intuitive operation in a compact and agile package.

KM 85/50 R BP



Compact, agile and intuitive.

The KM 85/50 R Bp is a battery-powered ride-on sweeper perfect for congested areas. Its compact design and high maneuverability make cleaning faster than ever in confined spaces, narrow corridors and around sharp corners. The KM 85/50 R Bp is extremely easy to operate and maintain, and boasts impressive area performance outdoors, making it a versatile and efficient entry-level choice for ride-on sweepers.





1 Clever container concept

- 2 tanks with handle grips and transport wheels for easy disposal
- Smooth edges around waste container prevents residue

2 Efficient filter system

- Polyester flat pleated filter
- Effective cleaning with dual scraper





3 Ergonomic design for enhanced performance and comfort

- Clear and simple operation of all components, no training required
- Easy, tool-free seat adjustment for operator comfort
- Adjustable rotation speed depending on type and amount of dirt, reducing dust turbulence
- Drives through door openings as narrow as 36" and maneuvers turns in aisles as narrow as 78"

4 Integrated home base system and storage areas

 Versatile and practical storage area for other cleaning utensils such as brushes and cloths

Technical data and equipment.

| | | KM 85/50 R BP |
|---|--------|-----------------|
| TECHNICAL SPECIFICATIONS | | |
| Working width (main broom) | in | 24.2 |
| Working width (1/2 side brooms) | in | 33.5 / 41.3 |
| Debris container capacity | gal | 13.2 (2 x 6.6) |
| Max. working speed | mph | 3.7 |
| Theoretical/Practical productivity (1 SB) | ft²/hr | 54,900 / 32,940 |
| Theoretical/Practical productivity (2 SB) | ft²/hr | 67,815 / 40,685 |
| Operating noise level | dBA | 69 |
| Minimum turning radius | ft | 3.3 |
| Climbing ability (max. slope) | | 12% |
| Weight (with batteries) | lbs | 555 |
| Dimensions (L x W x H) | in | 50 x 35 x 46 |

EQUIPMENT

| Order No. | Item Description |
|-------------|---------------------------------|
| 9.841-453.0 | KM 85/50 R Bp Wet, 1 side broom |
| 9.841-454.0 | KM 85/50 R Bp AGM, 1 side broom |

ACCESSORIES

| Order No. | Description | Image |
|-------------|--------------------------------|-------|
| 4.762-430.0 | Main brush, standard | |
| 6.906-132.0 | 1-side brush, standard | 1 |
| 2.852-502.0 | Pneumatic tire (1 each) | 2 |
| 5.731-585.0 | Flat pleated filter | 3 |
| 6.435-431.0 | Solid rubber non-marking wheel | |
| 4.762-442.0 | Main brush, soft | 4 |
| 4.762-443.0 | Main brush, hard | 5 |
| 4.762-441.0 | Main brush, antistatic | 6 |
| 6.905-626.0 | Side brush, soft | 7 |
| 6.905-625.0 | Side brush, hard | 7 |
| 2.852-499.0 | Carpet cleaning kit | |
| 2.852-321.0 | Additional left side brush kit | |
| 2.852-500.0 | Warning beacon | 8 |
| 5.035-488.0 | Home base adapter | 9 |
| 6.980-077.0 | Home base hook | 10 |

■ Included □ Optional









Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way Aurora, CO 80019 U.S.A.

Phone888-805-9852Fax800-248-8409

www.karcher.com/us