

	PRODUCT CODE	WIDTH	LENGTH	GA (MIL)	GA (MIC)	BAGS/CASE	STRENGTH	GAL CAP	WT/CS
1	PC 07 LW N	22	25	0.30	7.6	1000	L	7	11.0
2	PC 07 LW BK	22	25	0.30	7.6	1000	L	7	11.0
3	PC 07 XH BK	22	25	0.45	11.4	500	XH	7	8.3
4	PC 07 XH N	22	25	0.45	11.4	500	XH	7	8.3
5	PC 10 LW N	23	31	0.30	7.6	1000	L	10	14.3
6	PC 10 LW BK	23	31	0.30	7.6	1000	L	10	14.3
7	PC 10 XH BK	23	31	0.45	11.4	500	XH	10	10.7
8	PC 10 XH N	23	31	0.45	11.4	500	XH	10	10.7
9	PC 24 LW N	24	24	0.30	7.6	1000	L	7-10	11.5
10	PC 24 LW BK	24	24	0.30	7.6	1000	L	7-10	11.5
11	PC 32 LW N	24	32	0.30	7.6	1000	L	12-16	15.4
12	PC 32 LW BK	24	32	0.30	7.6	1000	L	12-16	15.4
13	PC SJ HR N	28	45	0.58	14.7	250	H	Slim Jim	12.2
14	PC SJ HR BK	28	45	0.58	14.7	250	H	Slim Jim	12.2
15	PC SJ XH N	28	45	0.70	17.8	250	XH	Slim Jim	14.7
16	PC SJ XH BK	28	45	0.70	17.8	250	XH	Slim Jim	14.7
17	PC 43 HR BK	30	43	0.59	15.0	250	H	20-30	12.7
18	PC 36 LW N	30	36	0.30	7.6	500	L	20-30	10.8
19	PC 36 LR N	30	36	0.35	8.9	250	L	20-30	6.3
20	PC 36 LR BK	30	36	0.35	8.9	250	L	20-30	6.3
21	PC 36 MR N	30	36	0.45	11.4	250	M	20-30	8.1
22	PC 36 MR BK	30	36	0.45	11.4	250	M	20-30	8.1
23	PC 36 HR N	30	36	0.59	15.0	250	H	20-30	10.6
24	PC 36 HR BK	30	36	0.59	15.0	250	H	20-30	10.6
25	PC 36 XH BK	30	36	0.70	17.8	200	XH	20-30	10.1
26	PC 36 XH N	30	36	0.70	17.8	200	XH	20-30	10.1
27	PC 39 MR N	33	39	0.45	11.4	250	M	33	9.7
28	PC 39 MR BK	33	39	0.45	11.4	250	M	33	9.7
29	PC 39 HR N	33	39	0.59	15.0	250	H	33	12.7
30	PC 39 HR BK	33	39	0.59	15.0	250	H	33	12.7
31	PC 39 XH BK	33	39	0.70	17.8	150	XH	33	9.0
32	PC 39 XH N	33	39	0.70	17.8	150	XH	33	9.0
33	PC 44 HR N	36	47	0.59	15.0	250	H	44 Brute	16.6
34	PC 44 MR BK	36	47	0.45	11.4	250	M	44 Brute	12.7
35	PC 44 MR N	36	47	0.45	11.4	250	M	44 Brute	12.7
36	PC 44 HR BK	36	47	0.59	15.0	250	H	44 Brute	16.6
37	PC 44 XH BK	36	47	0.70	17.8	200	XH	44 Brute	15.8
38	PC 44 XH N	36	47	0.70	17.8	200	XH	44 Brute	15.8
39	PC 46 MR N	40	46	0.45	11.4	250	M	40-45	13.8
40	PC 46 MR BK	40	46	0.45	11.4	250	M	40-45	13.8
41	PC 46 HR N	40	46	0.59	15.0	250	H	40-45	18.1

CONTINUED ON BACK

LW Light waste • MR Medium refuse • HR Heavy refuse • XH Extra heavy refuse • N Contact clarity; white tint • BK Black

GAUGE GUIDE: LW .30 mil • MR .45 mil • HR .59 mil • XH .70 mil

	PRODUCT CODE	WIDTH	LENGTH	GA (MIL)	GA (MIC)	BAGS/CASE	STRENGTH	GAL CAP	WT/CS
42	PC 46 HR BK	40	46	0.59	15.0	250	H	40-45	18.1
43	PC 46 XH BK	40	46	0.70	17.8	100	XH	40-45	8.6
44	PC 46 XH N	40	46	0.70	17.8	100	XH	40-45	8.6
45	PC 47 HR N	43	47	0.59	15.0	200	H	Glutton	15.9
46	PC 47 HR BK	43	47	0.59	15.0	200	H	Glutton	15.9
47	PC 47 XH BK	43	47	0.70	17.8	100	XH	Glutton	9.4
48	PC 47 XH N	43	47	0.70	17.8	100	XH	Glutton	9.4
49	PC 55 XH N	41	52	0.70	17.8	100	XH	55 Brute	9.9
50	PC 55 XH BK	41	52	0.70	17.8	100	XH	55 Brute	9.9
51	PC 58 MR N	38	58	0.45	11.4	200	M	60	13.2
52	PC 58 MR BK	38	58	0.45	11.4	200	M	60	13.2
53	PC 58 HR N	38	58	0.59	15.0	200	H	60	17.3
54	PC 58 HR BK	38	58	0.59	15.0	200	H	60	17.3
55	PC 58 XH BK	38	58	0.70	17.8	100	XH	60	10.3
56	PC 58 XH N	38	58	0.70	17.8	100	XH	60	10.3

LW Light waste • MR Medium refuse • HR Heavy refuse • XH Extra heavy refuse • N Contact clarity; white tint • BK Black
 GAUGE GUIDE: LW .30 mil • MR .45 mil • HR .59 mil • XH .70 mil

	PRODUCT CODE	WIDTH	LENGTH	GA (MIL)	GA (MIC)	BAGS/CASE	STRENGTH	GAL CAP	WT/CS
1	PC 36 XP BK	30	36	0.90	22.9	200	XH+	20-30	13.0
2	PC 36 XP N	30	36	0.85	21.59	200	XH+	20-30	12.2
3	PC 39 XP BK	33	39	0.90	22.9	150	XH+	33	11.6
4	PC 39 XP N	33	39	0.85	21.59	150	XH+	33	10.9
5	PC 44 XP BK	36	47	0.90	22.9	100	XH+	44 Brute	10.2
6	PC 44 XP N	36	47	0.85	21.59	100	XH+	44 Brute	9.6
7	PC 46 XP BK	40	46	0.90	22.9	100	XH+	40-45	11.0
8	PC 46 XP N	40	46	0.85	21.59	100	XH+	40-45	10.4
9	PC 47 XP BK	43	47	0.90	22.9	100	XH+	Glutton	12.1
10	PC 47 XP N	43	47	0.85	21.59	100	XH+	Glutton	11.5
11	PC 55 XP BK	41	52	0.90	22.9	100	XH+	55 Brute	12.8
12	PC 55 XP N	41	52	0.85	21.59	100	XH+	55 Brute	12.1
13	PC 58 XP BK	38	58	0.90	22.9	100	XH+	60	13.2
14	PC 58 XP N	38	58	0.85	21.59	100	XH+	60	13.2
15	PC 36 XT BK	30	36	1.15	29.2	200	SP	20-30	16.6
16	PC 36 XT N	30	36	1.10	27.94	200	SP	20-30	15.8
17	PC 39 XT BK	33	39	1.15	29.2	150	SP	33	14.8
18	PC 39 XT N	33	39	1.10	27.94	150	SP	33	14.2
19	PC 44 XT BK	36	47	1.15	29.2	100	SP	44 Brute	13.0
20	PC 44 XT N	36	47	1.10	27.94	100	SP	44 Brute	12.4
21	PC 46 XT BK	40	46	1.15	29.2	100	SP	40-45	14.1
22	PC 46 XT N	40	46	1.10	27.94	100	SP	40-45	13.5
23	PC 47 XT BK	43	47	1.15	29.2	100	SP	Glutton	15.5
24	PC 47 XT N	43	47	1.10	27.94	100	SP	Glutton	14.8
25	PC 55 XT BK	41	52	1.15	29.2	100	SP	55 Brute	16.3
26	PC 55 XT N	41	52	1.10	27.94	100	SP	55 Brute	15.6
27	PC 58 XT BK	38	58	1.15	29.2	100	SP	60	16.9
28	PC 58 XT N	38	58	1.10	27.94	100	SP	60	16.9

XP Extra heavy plus • XT Extra tough
 GAUGE GUIDE: XP .85 - .90 mil • XT 1.10 - 1.15 mil

	PRODUCT CODE	WIDTH	LENGTH	GA (MIL)	GA (MIC)	BAGS/CASE	STRENGTH	GAL CAP	WT/CS
1	PC 24 100 BK	24	24	0.85	21.6	500	SH	7	16.3
2	PC 32 100 BK	24	32	0.85	21.6	500	SH	10	21.8
3	PC 36 100 BK	30	36	0.90	22.9	200	SH	20-30	13.0
4	PC 39 100 BK	33	39	0.90	22.9	150	SH	32	11.6
5	PC 46 100 BK	40	46	0.90	22.9	100	SH	40-45	11.0
6	PC 44 100 BK	36	47	0.90	22.9	100	SH	44 Brute	10.2
7	PC 47 100 BK	43	47	0.90	22.9	100	SH	Glutton	12.1
8	PC 58 100 BK	38	58	0.90	22.9	100	SH	60	13.2
9	PC 36 150 BK	30	36	1.35	34.3	200	SH	20	19.4
10	PC 39 150 BK	33	39	1.35	34.3	150	SH	32	17.4
11	PC 46 150 BK	40	46	1.35	34.3	100	SH	40-45	16.6
12	PC 47 150 BK	43	47	1.35	34.3	100	SH	Glutton	18.2
13	PC 58 150 BK	38	58	1.35	34.3	100	SH	60	19.8
14	PC 36 200 BK	30	36	1.75	44.5	200	SH	20	25.2
15	PC 39 200 BK	33	39	1.75	44.5	150	SH	32	22.5
16	PC 46 200 BK	40	46	1.75	44.5	100	SH	40-45	21.5
17	PC 47 200 BK	43	47	1.75	44.5	100	SH	Glutton	23.6
18	PC 58 200 BK	38	58	1.75	44.5	100	SH	60	25.7









N Contact clarity; white tint • LW Light waste • HR Heavy refuse • BK Black • MR Medium refuse • XH Extra heavy refuse

EcoMax Select

Optimal liner sizes for the most common capacity cans



100% EPA Comprehensive Procurement Guideline Compliant

		PRODUCT CODE	WIDTH	LENGTH	GA (MIL)	BAGS/CASE	STRENGTH	RECOMMENDED USE
	1	PC 07 LW N	22	25	0.30	1000	L	paper trash; admin general use
	2	PC 07 LW BK	22	25	0.30	1000	L	paper trash; admin general use
	3	PC 07 XH N	22	25	0.45	500	XH	mixed trash; admin heavy contents
	4	PC 07 XH BK	22	25	0.45	500	XH	mixed trash; admin heavy contents
	1	PC 10 LW N	23	31	0.30	1000	L	paper trash; admin general use
	2	PC 10 LW BK	23	31	0.30	1000	L	paper trash; admin general use
	3	PC 10 XH N	23	31	0.45	500	XH	mixed trash w/sharps; outdoor use; X heavy contents
	4	PC 10 XH BK	23	31	0.45	500	XH	mixed trash w/sharps; outdoor use; X heavy contents
	1	PC SJ HR N	28	45	0.58	250	H	mixed trash; admin heavy contents
	2	PC SJ HR BK	28	45	0.58	250	H	mixed trash; admin heavy contents
	3	PC SJ XH N	28	45	0.70	250	XH	mixed trash w/sharps; outdoor use; X heavy contents
	4	PC SJ XH BK	28	45	0.70	250	XH	mixed trash w/sharps; outdoor use; X heavy contents
	1	PC 36 LR N	30	36	0.35	250	L	paper trash; admin general use
	2	PC 36 LR BK	30	36	0.35	250	L	paper trash; admin general use
	3	PC 36 MR N	30	36	0.45	250	M	paper trash; admin general use
	4	PC 36 MR BK	30	36	0.45	250	M	paper trash; admin general use
	5	PC 36 HR N	30	36	0.59	250	H	mixed trash; admin heavy contents
	6	PC 36 HR BK	30	36	0.59	250	H	mixed trash; admin heavy contents
	7	PC 36 XH N	30	36	0.70	200	XH	mixed trash w/sharps; outdoor use; X heavy contents
	8	PC 36 XH BK	30	36	0.70	200	XH	mixed trash w/sharps; outdoor use; X heavy contents
	1	PC 39 MR N	33	39	0.45	250	M	paper trash; admin general use
	2	PC 39 MR BK	33	39	0.45	250	M	paper trash; admin general use
	3	PC 39 HR N	33	39	0.59	250	H	mixed trash; admin heavy contents
	4	PC 39 HR BK	33	39	0.59	250	H	mixed trash; admin heavy contents
	5	PC 39 XH N	33	39	0.70	150	XH	mixed trash w/sharps; outdoor use; X heavy contents
	6	PC 39 XH BK	33	39	0.70	150	XH	mixed trash w/sharps; outdoor use; X heavy contents
	1	PC 44 MR N	36	47	0.45	250	M	mixed trash; admin heavy contents
	2	PC 44 MR BK	36	47	0.45	250	M	mixed trash; admin heavy contents
	3	PC 44 HR N	36	47	0.59	250	H	mixed trash; admin heavy contents
	4	PC 44 HR BK	36	47	0.59	250	H	mixed trash; admin heavy contents
	5	PC 44 XH N	36	47	0.70	200	XH	mixed trash w/sharps; outdoor use; X heavy contents
	6	PC 44 XH BK	36	47	0.70	200	XH	mixed trash w/sharps; outdoor use; X heavy contents
	1	PC 47 HR N	43	47	0.59	200	H	mixed trash admin heavy contents
	2	PC 47 HR BK	43	47	0.59	200	H	mixed trash admin heavy contents
	3	PC 47 XH N	43	47	0.70	100	XH	mixed trash w/sharps; outdoor use; X heavy contents
	4	PC 47 XH BK	43	47	0.70	100	XH	mixed trash w/sharps; outdoor use; X heavy contents
	1	PC 55 XH N	41	52	0.70	100	XH	mixed trash w/sharps; outdoor use; X heavy contents
	2	PC 55 XH BK	41	52	0.70	100	XH	mixed trash w/sharps; outdoor use; X heavy contents

LW Light waste • MR Medium refuse • HR Heavy refuse • XH Extra heavy refuse • N Contact clarity; white tint • BK Black

GAUGE GUIDE: LW .30 mil • MR .45 mil • HR .59 mil • XH .70 mil

10801 Executive Center Dr., Suite. 201 | Little Rock, AR 72211 | 1.800.277.9172 | revolutionbag.com